GRINDING, SHAPING AND DRILLING DIAMOND TOOLS

VACUUM BRAZED CONCAVE VANITY DISCS 5/8"-11 OR M14

- 5/8-11" or M-14 Thread for Hand Held Grinders
- Used for Sink Openings
- Fast and Easy to Use

Part Number	Description
BRCD115G	Concave Disc 4-1/2" (115 mm)
BRCD125G	Concave Disc 5" (125 mm)
BCD150G	Concave Disc 6" (150 mm)
BRCD180G	Concave Disc 7" (180 mm)

VACUUM BRAZED BLADES

- Available w/Removable Hub (7/8" hole) to Stabilize the Body or M14, 5/8-11", 7/8"
- Great For All Natural Stone, Fiberglass and Composites
- Diamonds on the Side Help Free the Cut

Part Number	Description
BRD100G	Disc 4"(100 mm)
BRD115G	Disc 4-1/2"(115 mm)
BRD125G	Disc 5" (125 mm)
BD150G	Disc 6" (150 mm)
BRD180G	Disc 7" (180 mm)
BRD230G	Disc 9" (230 mm)

SIDE EXTENDED SAW BLADES M14 OR 5/8-11 TREAD

- Available With 5/8-11 or M14
- Used Like Saw Blade For Cutting or Grinding With The Sides
- Rigid and Fast Cutting
- Great For All Natural Stone, Fiberglass And Composites

Part Number	Description
BRES115G-TR	Extended Side Disc 4-1/2" (115 mm)
BRES125G-TR	Extended Side Disc 5" (125 mm)
BRES150G-TR	Extended Side Disc 6" (150 mm)
BRES180G-TR	Extended Side Disc 7" (180 mm)
BRESD115G	Extended Side Disc 4-1/2" (115 mm)
BRES125G	Extended Side Disc 5" (125 mm)
BRES150G	Extended Side Disc 6" (150 mm)
BRES180G	Extended Side Disc 7" (180 mm)

IAMOND TOOL SUPPLY INC.

DIAMOND PRODUCTS FOR FABRICATION

CONCAVE VANITY DISCS 5/8 - 7/8

- For Granite, Marble and Other Stone
- Extended Segment for Ease of Cutting
- Used for Sink Openings
- Fast and Easy to Use

Part Numbe	Description
CCD115G	Concave Disc 4-1/2" (115 mm
CCD125G	Concave Disc 5" (125 mm)

GRANITE CUTTING DISCS 5/8 - 7/8

- Very Economical
- Great for Granite and Marble
- Diamonds on the Side Help Free the Cut Slurk Design

Part Number	Description
CD100G	Disc 4"(100 mm)
CD115G	Disc 4-1/2"(115 mm)
CD125G	Disc 5" (125 mm)
CD150G	Disc 6" (150 mm)
CD180G	Disc 7" (180 mm)

CONTINUOS RIM CUTTING DISCS 5/8 - 7/8

- Very Economical
- Great for Tile

Part Number	Description
CRCD100G	Disc 4"(100 mm)
CRCD115G	Disc 4-1/2"(115 mm)
CRCD125G	Disc 5" (125 mm)
CRCD150G	Disc 6" (150 mm)
CRCD180G	Disc 7" (180 mm)
CRCD250G	Disc 10" (250 mm)
CRCD300G	Disc 12" (300 mm)
CRCD350G	Disc 14" (350 mm)

ZERO TOLARANCE DRUM WHEELS

- Designed For Hand Held Machines
- Aggressive Cutting Action
- Smooth Finish For Easy Final Polish

Part Number	Size	
SDRUM2X1.5-36	2"X 1.5"	50 X 38 - M14 or 5/8-11
SDRUM3X1.5-36	3"X1.5"	75 X 38- M14 or 5/8-11
SDRUM3X1.5-36-1/2	3"X1.5"	75 X 38 1/2 GAS

DIAMOND TOOL SUPPLY CO.

GRINDING SHAPING AND DRILLING DIAMOND TOOLS

BRAZED DRUMS WITH BEARING GUIDE 5/8-11" OR M14

- For Granite, Marble and Other Stone
- Very Aggressive, Fast Stock Removal
- Good life and very cost effective
- 5/8-11 or M14 Thread
- Fast Delivery

Part Number	Description
SW2X2-030TB	2" X 2" (51 x 51mm), GRIT 30
SW2X2-050TB	2" X 2" (51 x 51mm), GRIT 50
SW2X2-100TB	2" X 2" (51 x 51mm), GRIT 100
SW2X2-200TB	2" X 2" (51 x 51mm), GRIT 200
SW3X1.5-030TB	3" X 1.5" (76 x 38mm) , GRIT 30
SW3X1.5-050TB	3" X 1.5" (76 x 38mm) , GRIT 50
SW3X1.5-100TB	3" X 1.5" (76 x 38mm) , GRIT 100
SW3X2-030TB	3" X 2" (76 x 51mm) , GRIT 30
SW3X2-050TB	3" X 2" (76 x 51mm) , GRIT 50
SW3X2-100TB	3" X 2" (76 x 51mm) , GRIT 100

BRAZED DRUMS 1/2 GAS, 5/8-11" OR M14

- For Granite, Marble and Other
- Very Aggressive, Fast Removal
- Good life and very cost effective
- 5/8-11 or M14 Thread
- Good Clean-up tool for Sinks

Part Number	Description
SW1x050BR	1" X 2" (25 x 51mm), GRIT 50, 5/8"-11 OR M14 THREAD
SW1x100BR	1" X 2" (25 x 51mm), GRIT 100, 5/8"-11 OR M14 THREAD
SW1x200BR	1" X 2" (25 x 51mm), GRIT 200, 5/8"-11 OR M14 THREAD
SW2-030BR	2" X 2" (51 x 51mm), GRIT 30, 5/8"-11 OR M14 THREAD
SW2-050BR	2" X 2"(51 x 51mm), GRIT 50, 5/8"-11 OR M14 THREAD
SW2-100BR	2" X 2"(51 x 51mm), GRIT 100, 5/8"-11 OR M14 THREAD
SW2-200BR	2" X 2"(51 x 51mm), GRIT 200, 5/8"-11 OR M14 THREAD
SW2X1.5-060BR	2" X 1.5"(51 x 38mm), GRIT 60, 5/8"-11 OR M14 THREAD
SW3X1.5-060BR	3" X 1.5"(51 x 38mm), GRIT 60, 5/8"-11 OR M14 THREAD
SW1x2-050-1/2GAS	1" X 2" (25 x 51mm), GRIT 50, THREAD 1/2 GAS
SW1x2-100-1/2GAS	1" X 2" (25 x 51mm), GRIT 100, THREAD 1/2 GAS
SW1x2-200-1/2GAS	1" X 2" (25 x 51mm), GRIT 200, THREAD 1/2 GAS
SW2X050BR-1/2GAS	2" X 2" (51 x 51mm), GRIT 50, THREAD 1/2 GAS
SW2X100BR-1/2GAS	2" X 2" (51 x 51mm), GRIT 100, THREAD 1/2 GAS
SW2X200BR-1/2GAS	2" X 2" (51 x 51mm), GRIT 200, THREAD 1/2 GAS

DIAMOND TOOL SUPPLY INC.

SINTERED VANITY WHEELS 2" - 51 MM, 3" - 76 MM, 4" - 100 MM x 5/8-11" or M-14

- Designed For Hand Held Machines
- Fast Stock Removal on Granite or Marble
- Continues Rim - **NO Vibration**

Part Number			Size
SW2-036	Grit 36	2" x 2"	51 x 51 mm
SW2-060	Grit 60	2" x 2"	51 x 51 mm
SW2-120	Grit 120	2" x 2"	51 x 51 mm
SW3-036	Grit 36	3" x 1.25"	76 x 32 mm
SW3-060	Grit 60	3" x 1.25"	76 x 32 mm
SW3-120	Grit 120	3" x 1.25"	76 x 32 mm
SW4-036	Grit 36	4" x 1.25"	100 x 30 mm
SW4-060	Grit 60	4" x 1.25"	100 x 30 mm
SW4-120	Grit 120	4" x 1.25"	100 x 30 mm

RESIN POLISHING WHEEL 5/8-11 OR M14 WET

- Good life and very cost effective
- 5/8-11 or M14 Thread
- Good Clean-up And Polish Tool For Sinks



Part Number	Description	SIZE
WET		
RSW2-0050	2" X 1-1/4" GRIT 50	51 X 30
RSW2-0120	2" X 1-1/4" GRIT 120	51 X 30
RSW2-0220	2" X 1-1/4" GRIT 220	51 X 30
RSW2-0400	2" X 1-1/4" GRIT 400	51 X 30
RSW2-0800	2" X 1-1/4" GRIT 800	51 X 30
RSW2-1800	2" X 1-1/4" GRIT 1800	51 X 30
RSW2-3500	2" X 1-1/4" GRIT 3500	51 X 30
DRY		
RSD2-0050	2" X 1-1/4" GRIT 50	51 X 30
RSD2-0120	2" X 1-1/4" GRIT 120	51 X 30
RSD2-0220	2" X 1-1/4" GRIT 220	51 X 30
RSD2-0400	2" X 1-1/4" GRIT 400	51 X 30
RSD2-0800	2" X 1-1/4" GRIT 800	51 X 30
RSD2-1800	2" X 1-1/4" GRIT 1800	51 X 30
RSD2-3500	2" X 1-1/4" GRIT 3500	51 X 30

DRY RESIN POLISHING WHEEL 5/8-11 OR M14

100 MM FULL FACE CUP WHEEL M-18

- For Use on Automatic Edge Polisher
- 35 mm Face Width
- Smooth Continues Contact
- Designed and Tested For Long Life

Part Number	Size	
CW-M18FF-C	100 mm	Coarse
CW-M18FF-M	100 mm	Medium

DIAMOND TOOL SUPPLY, INC.

TURBO CUP WHEEL 4" - 100 MM - 5/8-11" OR M-14

- Long Life, Good Balance
- For Use on Angle Grinders
- To Hand Shape Edges (all stone)

Part Num	Size		
CW5/8-C	100 mm	4"	Coarse
CW5/8-M	100 mm	4"	Medium
CW5/8-F	100 mm	4"	Fine

T-SEGMENT CUP WHEEL

- Long Life, Good Balance
- For Use on Angle Grinders
- To Hand Shape Edges (all stone)

Part Nun	Size		
T4CW5/8-	100 mm	4"	Coarse
T7CW5/8-	180 mm	7"	Coarse

2" - 51 MM, 4" - 100 MM AND 5" - 125 MM BRAZED CUP WHEEL M-14 OR 5/8-11

- For Use on Angle Grinders
- Cut and Grind
- Very Cost Effective
- Available in Coarse, Medium or Fine

Part Number	Size	
CWSP2-C	50 mm	COARSE
CWSP4-C	100 mm	COARSE
CWSP5-C	125 mm	COARSE
CWSP2-F	50 mm	FINE
CWSP4-F	100 mm	FINE
CWSP5-F	125 mm	FINE



5" FACE WHEEL

- Different Tread Sizes And Snaillock Attachment Available To Fit Most
- Popular Inline Polishers
- Long lasting and Aggressive

Part Number		Size
CW5-MAN	126 MM	COARSE

DIAMOND TOOL SUPPLY INC.

GRANITE PROFILER W/PLASTIC GUIDE 5/8-11 OR M-14

- **All sizes in STOCK**
- Profiling of Granite and Marble/Limestone
- Very Aggressive, Fast Stock Removal
- Good life and very cost effective
- 5/8-11 or M14 Thread
- Fast Delivery
- **NO-SCRATCH Plastic Guide**
- **Central Water Feed**

Part Number	Description
B1/8G-BR	B 1/8" (3 MM) RADIUS TILE PROFILE WHEEL
B3/16"G-BR	B 3/16" (5 MM) RADIUS TILE PROFILE WHEEL
B1/4"G-BR	B 1/4" (6 MM) RADIUS TILE PROFILE WHEEL
B3/8"G-BR	B 3/8" (9 MM) RADIUS TILE PROFILE WHEEL
B1/2"G-BR	B 1/2" (13 MM) RADIUS TILE PROFILE WHEEL
B5/8"G-BR	B 5/8" (15 MM) RADIUS TILE PROFILE WHEEL
B3/4"G-BR	B 3/4" (20 MM) RADIUS TILE PROFILE WHEEL
B25G-BR	B 25 MM RADIUS TILE PROFILE WHEEL
B30G-BR	B 30 MM RADIUS TILE PROFILE WHEEL
E1/8"G-BR	E 1/8" (3 MM) BEVEL TILE PROFILE WHEEL
E1/4"G-BR	E 1/4" (6 MM) BEVEL TILE PROFILE WHEEL
E3/8"G-BR	E- 10 MM BEVEL TILE PROFILE WHEEL
E1/2"G-BR	E 1/2" (13 MM) BEVEL TILE PROFILE WHEEL
E3/4"G-BR	E 20 MM BEVEL TILE PROFILE WHEEL
E30G-BR	E 30 BEVEL TILE PROFILE WHEEL
F10G-BR	F10 MM TILE PROFILE WHEEL
F15G-BR	F15 MM TILE PROFILE WHEEL
F20G-BR	F 20 MM TILE PROFILE WHEEL
F30G-BR	F 30 MM TILE PROFILE WHEEL
V20G-BR	V20 FULL BULLNOSE PROFILE WHEEL
V30G-BR	V30 FULL BULLNOSE PROFILE WHEEL
V40G-BR	V40 FULL BULLNOSE PROFILE WHEEL
Z30G-BR	Z30 STRAIGHT PROFILE WHEEL
Z40G-BR	Z40 STRAIGHT PROFILE WHEEL

GRANITE PROFILER WITH METAL GUIDE

- Tools for Stair Treads
- Profiling of Granite and Marble/Limestone

Part Number	Description	
DR-1XH10X18		Single Line
DR-2xH10X18		Double Line
B10G-BR	B10	Half Bullnose
B15G-BR	B15	Half Bullnose
B20G-BR	B20	Half Bullnose
B25G-BR	B25	Half Bullnose
B30G-BR	B30	Half Bullnose
F20G-BR	F20	Ogee
F30G-BR	F30	Ogee
H20G-BR	H20	Half Bullnose w/step
H30G-BR	H30	Half Bullnose w/step
V30G-BR	V30	Full Bullnose
V40G-BR	V40	Full Bullnose

DIAMOND TOOL SUPPLY INC

SEGMENTED DIAMOND ROUTERS FOR ANGLE GRINDERS 5/8-11 OR M-14 CONNECTION

- Profiling of Granite and Marble/Limestone
- Very Aggressive, Fast Stock Removal
- Good life and very cost effective
- 5/8-11 or M14 Thread
- Fast Delivery
- Central Water Feed

SEGMENTED WHEEL AVAILABLE IN STEP 1 ONLY

Part Number	Description	
B10G-SEG	B10	Half Bullnose
B15G-SEG	B15	Half Bullnose
B20G-SEG	B20	Half Bullnose
B25G-SEG	B25	Half Bullnose
B30G-SEG	B30	Half Bullnose
F20G-SEG	F20	Ogee
F30G-SEG	F30	Ogee
H20G-SEG	H20	Half Bullnose w/step
H30G-SEG	H30	Half Bullnose w/step
V30G-SEG	V30	Full Bullnose
V40G-SEG	V40	Full Bullnose

PRE-FORM WHEEL FOR 20, 30 AND 40 MM



- Saves the Life of Shaping Bits
- Very Aggressive, Fast Cutting Action
- Good life and very cost effective
- Available for Manual Routers and with 1/2 Gas

PART#	SHAPE	TYPE
SPR-PRE-30	DOUBLE BREAKER WHEEL	M8 & M10
SPR-PRE-40	DOUBLE BREAKER WHEEL	M8 & M10
SPR-PRE30-1/2	DOUBLE BREAKER WHEEL	1/2 GAS
SPR-PRE40-1/2	DOUBLE BREAKER WHEEL	1/2 GAS

DIAMOND TOOL SUPPLY INC

PERFECT SHAPE GRINDING SYSTEM

GRINDING SYSTEM SINTERED - BRAZED FOR SHAPING OF GRANITE AND MARBLE

STEP 1

Step 1
Segmented Wheel
Step 2
Brazed Wheel
Step 3
(Optional) Brazed

STEP 2



SEGMENTED DIAMOND ROUTER BITS FOR MANUAL ROUTER - M8, M10, 1/2 GAS

- Very Long Life
- Using Brazed As Step 2 & 3 Corrects the Shape
- Very Precise Profile to Match your Polishing Steps
- For All Portable Routers

PART#	TYPE	PART #	TYPE		SHAPE
SPR-PRE-30	M8 & M10	SPR-PRE30-1/2	1/2 GAS	DOUBLE BREAKER WHEEL	
SPR-PRE-40	M8 & M10	SPR-PRE40-1/2	1/2 GAS	DOUBLE BREAKER WHEEL	
SPR-A20G-P1	M8 & M10	SPR-A20G-1/2	1/2 GAS	A-20	EASED EDGE
SPR-A25G-P1	M8 & M10	SPR-A25G-1/2	1/2 GAS	A25	EASED EDGE
SPR-A30G-P1	M8 & M10	SPR-A30G-1/2	1/2 GAS	A30	EASED EDGE
SPR-B15G-P1	M8 & M10	SPR-B15G-1/2	1/2 GAS	B15	HALF BULL
SPR-B20G-P1	M8 & M10	SPR-B20G-1/2	1/2 GAS	B20	HALF BULL
SPR-B25G-P1	M8 & M10	SPR-B25G-1/2	1/2 GAS	B25	HALF BULL
SPR-B30G-P1	M8 & M10	SPR-B30G-1/2	1/2 GAS	B30	HALF BULL
SPR-B40G-P1	M8 & M10	SPR-B40G-1/2	1/2 GAS	B40	HALF BULL
SPR-B50G-P1	M8 & M10	SPR-B50G-1/2	1/2 GAS	B50	HALF BULL
SPR-E20/45SG-P1	M8 & M10	SPR-E20/45SG-1/2	1/2 GAS	E20	45 BEVEL
SPR-E20/45TG-P1	M8 & M10	SPR-E20/45TG-1/2	1/2 GAS	E20	45 BEVEL
SPR-E30/30G-P1	M8 & M10	SPR-E30/30G-1/2	1/2 GAS	E30	30 BEVEL
SPR-E30/45SG-P1	M8 & M10	SPR-E30/45SG-1/2	1/2 GAS	E30	45 BEVEL
SPR-E30/45TG-P1	M8 & M10	SPR-E30/45TG-1/2	1/2 GAS	E30	45 BEVEL
SPR-E40/45G-123	M8 & M10	SPR-E40/45G-123	1/2 GAS	E40	45 BEVEL
SPR-F15G-P1	M8 & M10	SPR-F15G-1/2	1/2 GAS	F15	O-GEE
SPR-F20G-P1	M8 & M10	SPR-F20G-1/2	1/2 GAS	F20	O-GEE
SPR-F25G-P1	M8 & M10	SPR-F25G-1/2	1/2 GAS	F25	O-GEE
SPR-F30G-P1	M8 & M10	SPR-F30G-1/2	1/2 GAS	F30	O-GEE
SPR-F40G-P1	M8 & M10	SPR-F40G-1/2	1/2 GAS	F40	O-GEE
SPR-H20G-P1	M8 & M10	SPR-H20G-1/2	1/2 GAS	H20	DUPONT
SPR-H30G-P1	M8 & M10	SPR-H30G-1/2	1/2 GAS	H30	DUPONT
SPR-O15-P1	M8 & M10	SPR-O15-1/2	1/2 GAS	O15	COVE DUPONT
SPR-O20-P1	M8 & M10	SPR-O20-1/2	1/2 GAS	O20	COVE DUPONT
SPR-O30-P1	M8 & M10	SPR-O30-1/2	1/2 GAS	O30	COVE DUPONT
SPR-Q20-P1	M8 & M10	SPR-Q20-1/2	1/2 GAS	Q20	COVE OGEE
SPR-Q30-P1	M8 & M10	SPR-Q30-1/2	1/2 GAS	Q30	COVE OGEE
SPR-Q40-P1	M8 & M10	SPR-Q40-1/2	1/2 GAS	Q40	COVE OGEE
SPR-T20G-P1	M8 & M10	SPR-T20G-1/2	1/2 GAS	T20	DOUBLE EASED
SPR-T30G-P1	M8 & M10	SPR-T30G-1/2	1/2 GAS	T30	DOUBLE EASED
SPR-T40G-P1	M8 & M10	SPR-T40G-1/2	1/2 GAS	T40	DOUBLE EASED
SPR-V20G-P1	M8 & M10	SPR-V20G-1/2	1/2 GAS	V20	FULL BULLNOSE
SPR-V30G-P1	M8 & M10	SPR-V30G-1/2	1/2 GAS	V30	FULL BULLNOSE
SPR-V40FG-P1	M8 & M10	SPR-V40FG-1/2	1/2 GAS	V40 FLARE	FULL BULLNOSE
SPR-V40G-P1	M8 & M10	SPR-V40G-1/2	1/2 GAS	V40	FULL BULLNOSE
SPR-V40S-P1	M8 & M10	SPR-V40S-1/2	1/2 GAS	V40 SOFT	FULL BULLNOSE
SPR-V50G-P1	M8 & M10	SPR-V50G-1/2	1/2 GAS	V50	FULL BULLNOSE
SPR-V60G-P1	M8 & M10	SPR-V60G-1/2	1/2 GAS	V60	FULL BULLNOSE
SPR-V90G-P1	M8 & M10	SPR-V90G-1/2	1/2 GAS	V90	FULL BULLNOSE
SPR-WBB30G-P1	M8 & M10	SPR-WBB30G-1/2	1/2 GAS	TB 30	B+B WATERFALL
SPR-WBB40G-P1	M8 & M10	SPR-WBB40G-1/2	1/2 GAS	TB 40	B+B WATERFALL
SPR-Z30G-P1	M8 & M10	SPR-Z30G-1/2	1/2 GAS	Z30	STRAIGHT
SPR-Z40G-P1	M8 & M10	SPR-Z40G-1/2	1/2 GAS	Z40	STRAIGHT

DIAMOND TOOL SUPPLY INC.

GRINDING SHAPING AND DRILLING DIAMOND TOOLS

VACUUM BRAZED ROUTER BITS

- Very Aggressive, Fast Stock Removal
- Good life and very cost effective
- Any shape is available upon request
- Brazed Wheels never loose their shape
- Available For Marble and Granite
- For Marmoelettromeccanica, Ghines and other portable routers

POSITION 1	POSITION 2	POSITION 3	SHAPE	ATTACHMENT
PR-A20G-P1	PR-A20G-P2	PR-A20G-P3	A-20 M8/M10	EASED EDGE
PR-A25G-P1	PR-A25G-P2	PR-A25G-P3	A25	M8/M10 EASED EDGE
PR-A30G-P1	PR-A30G-P2	PR-A30G-P3	A30	M8/M10 EASED EDGE
PR-B15G-P1	PR-B15G-P2	PR-B15G-P3	B15	M8/M10 HALF BULL
PR-B20G-P1	PR-B20G-P2	PR-B20G-P3	B20	M8/M10 HALF BULL
PR-B25G-P1	PR-B25G-P2	PR-B25G-P3	B25	M8/M10 HALF BULL
PR-B30G-P1	PR-B30G-P2	PR-B30G-P3	B30	M8/M10 HALF BULL
PR-B40G-P1	PR-B40G-P2	PR-B40G-P3	B40	M8/M10 HALF BULL
PR-B50G-P1	PR-B50G-P2	PR-B50G-P3	B50	M8/M10 HALF BULL
PR-E20/45G-P1	PR-E20/45G-P2	PR-E20/45G-P3	E20 M8/M10	45 BEVEL
PR-E30/30G-P1	PR-E30/30G-P2	PR-E30/30G-P3	E30	M8/M10 30 BEVEL
PR-E30/45G-P1	PR-E30/45G-P2	PR-E30/45G-P3	E30	M8/M10 45 BEVEL
PR-E40/45G-123	PR-E40/45G-123	PR-E40/45G-123	E40-30-20	M8/M10 45 BEVEL
PR-F15G-P1	PR-F15G-P2	PR-F15G-P3	F15	M8/M10 O-GEE
PR-F20G-P1	PR-F20G-P2	PR-F20G-P3	F20	M8/M10 O-GEE
PR-F25G-P1	PR-F25G-P2	PR-F25G-P3	F25	M8/M10 O-GEE
PR-F30G-P1	PR-F30G-P2	PR-F30G-P3	F30	M8/M10 O-GEE
PR-F40G-P1	PR-F40G-P2	PR-F40G-P3	F40	M8/M10 O-GEE
PR-H20G-P1	PR-H20G-P2	PR-H20G-P3	H20	M8/M10 DUPONT
PR-H30G-P1	PR-H30G-P2	PR-H30G-P3	H30	M8/M10 DUPONT
PR-O15-P1	PR-O15-P2	PR-O15-P3	O15	M8/M10 COVE DUPONT
PR-O20-P1	PR-O20-P2	PR-O20-P3	O20	M8/M10 COVE DUPONT
PR-O30-P1	PR-O30-P2	PR-O30-P3	O30	M8/M10 COVE DUPONT
PR-Q20-P1	PR-Q20-P2	PR-Q20-P3	Q20	M8/M10 COVE OGEE
PR-Q30-P1	PR-Q30-P2	PR-Q30-P3	Q30	M8/M10 COVE OGEE
PR-Q40-P1	PR-Q40-P2	PR-Q40-P3	Q40	M8/M10 COVE OGEE
PR-T20G-P1	PR-T20G-P2	PR-T20G-P3	T20	M8/M10 DOUBLE EASED EDGE
PR-T30G-P1	PR-T30G-P2	PR-T30G-P3	T30	M8/M10 DOUBLE EASED EDGE
PR-T40G-P1	PR-T40G-P2	PR-T40G-P3	T40	M8/M10 DOUBLE EASED EDGE
PR-V20G-P1	PR-V20G-P2	PR-V20G-P3	V20	M8/M10 FULL BULLNOSE
PR-V30G-P1	PR-V30G-P2	PR-V30G-P3	V30	M8/M10 FULL BULLNOSE
PR-V40FG-P1	PR-V40FG-P2	PR-V40FG-P3	V40 FLARE	M8/M10 FULL BULLNOSE
PR-V40G-P1	PR-V40G-P2	PR-V40G-P3	V40 M8/M10	FULL BULLNOSE
PR-V40S-P1	PR-V40S-P2	PR-V40S-P3	V40 SOFT	M8/M10 FULL BULLNOSE
PR-V50G-P1	PR-V50G-P2	PR-V50G-P3	V50	M8/M10 FULL BULLNOSE
PR-V60G-P1	PR-V60G-P2	PR-V60G-P3	V60	M8/M10 FULL BULLNOSE
PR-V90G-P1	PR-V90G-P2	PR-V90G-P3	V90	M8/M10 FULL BULLNOSE
PR-WBB30G-P1	PR-WBB30G-P2	PR-WBB30G-P3	TB 30	M8/M10 B+B WATERFALL
PR-WBB40G-P1	PR-WBB40G-P2	PR-WBB40G-P3	TB 40	M8/M10 B+B WATERFALL
PR-Z30G-P1	PR-Z30G-P2	PR-Z30G-P3	Z30	M8/M10 STRAIGHT
PR-Z40G-P1	PR-Z40G-P2	PR-Z40G-P3	Z40	M8/M10 STRAIGHT

DIAMOND TOOL SUPPLY, INC.

4-1/2" & 7" SEK GRINDING WHEEL

- Grinding and shaping of stone
- Rigid and VERY Fast
- 5 Positions

Part Number			Description
4-1/2"	Grit	Size	
SEK4P0	25	115 mm	SEK WHEEL POS 0
SEK4P1	30	115 mm	SEK WHEEL POS 1
SEK4P2	40	115 mm	SEK WHEEL POS 2
SEK4P3	60	115 mm	SEK WHEEL POS 3
SEK4P4	100	115 mm	SEK WHEEL POS 4
SEK4P5	200	115 mm	SEK WHEEL POS 5
7"			
SEK7P0	25	175 mm	SEK WHEEL POS 0
SEK7P1	30	175 mm	SEK WHEEL POS 1
SEK7P2	40	175 mm	SEK WHEEL POS 2
SEK7P3	60	175 mm	SEK WHEEL POS 3
SEK7P4	100	175 mm	SEK WHEEL POS 4
SEK7P5	200	175 mm	SEK WHEEL POS 5

BRAZED 6" TILE PROFILE WHEEL

Part Number	Description	Size
BG6"xB3/8-T	Demi-bull 3/8" (R10 MM)	150 x 10 mm
BG6"xB1/2-T	Demi-bull 1/2" (R13 MM)	150 x 13 mm
BG6"xF1/2-T	O-gee 1/2" (13 MM)	150 x 13 mm
BG6"xF3/8-T	O-gee 3/8" (10 MM)	150 x 10 mm
BG6"xE3/8-T	Bevel 3/8" (10 MM)	150 x 10 mm

- Designed to Profile 3/8" or 1/2" Marble Tile
- Efficient and Fast
- Longer Lasting than Plated Wheels

BRAZED ROUTER BITS FOR MARBLE

- Brazed Bits Never Loose Their Shape
- Economical - Long Life
- 6mm, 12 mm or different size Shaft
- Any Shape Available Upon Request
  Full - Bull, Ogee,…
- Custom Profiles Available Upon Request

DIAMOND TOOL SUPPLY INC

GRINDING SHAPING AND DRILLING DIAMOND TOOLS

BRAZED CORE DRILL 5/8-11" OR M14 CONNECTION - DRY AND WET APPLICATION

- Cuts Very Fast
- Variety of Sizes Available
- Fast and Easy to Use

Part Number	Description
BGCD6.5X50-5/8	BRAZED CORE DRILL 1/4" - 6.5 mm
BGCD9.5X50-5/8	BRAZED CORE DRILL 3/8" - 9.5 mm
BGCD12X50-5/8	BRAZED CORE DRILL 1/2" - 12.5 mm
BGCD16X50-5/8	BRAZED CORE DRILL 5/8" - 15 mm
BGCD19X50-5/8	BRAZED CORE DRILL 3/4" - 19 mm
BGCD22.2X50-5/8	BRAZED CORE DRILL 7/8" - 22.2 mm
BGCD25X50-5/8	BRAZED CORE DRILL 1" - 24.5 mm
BGCD29X50-5/8	BRAZED CORE DRILL 1-1/8" - 29 mm
BGCD32X50-5/8	BRAZED CORE DRILL 1-1/4" - 32 mm
BGCD35X50-5/8	BRAZED CORE DRILL 1 3/8" - 35 mm
BGCD37.5X50-5/8	BRAZED CORE DRILL 1-1/2" - 38 mm
BGCD38X50-5/8	BRAZED CORE DRILL 1-5/8" - 39 mm
BGCD45X50-5/8	BRAZED CORE DRILL 1- 3/4" - 45 mm
BGCD50X50-5/8	BRAZED CORE DRILL 2" - 51 mm
BGCD64X50-5/8	BRAZED CORE DRILL 2-1/2" - 64 mm
BGCD57X50-5/8	BRAZED CORE DRILL 2-1/4" - 57 mm
BGCD67X50-5/8	BRAZED CORE DRILL 2-5/8" - 67 mm
BGCD76X50-5/8	BRAZED CORE DRILL 3" - 76 mm
BGCD100x50-5/8	BRAZED CORE DRILL 100MM(4 ")

COREDRILL ADAPTERS

Part Number	
AD-5/8-1/2SHANK	5/8-11 - 1/2" Shank Drill
AD-5/8-1/2hex	5/8-11 - 1/2" hex
AD5/8-1/2"Gas	5/8-11 - 1/2" gas CNC
AD-M14-1/2SHANK	M14 - 1/2" Shank Drill
AD-M14-1/2hex	M14 - 1/2" hex
AD-M14-1/2"Gas	M14 - 1/2" gas CNC

- Adapt Your Coredrill For Different Equipment on the Job

VACUUM BRAZED ANCHOR BITS 6.5 OR 9.5 MM SHANK

- Long Life
- For Marble and Granite

Part Number	
AB-3/16	ANCHOR BIT 3/16" (5MM)
AB-1/4	ANCHOR BIT 1/4" (6MM)
AB-3/8	ANCHOR BIT 3/8" (9MM)

DIAMOND TOOL SUPPLY, INC.

VACUUM BRAZED CNC FINGER BIT 1/2 GAS

- Precision Design For Balance
- **Any Size Available Upon Request**

PART #	Ø OD X L		ARBOR
BGRC12X30	12 X 30MM		1/2 GAS
BGRC15X35	15 X 35 MM		
BGRC15X45	15 X 45 MM		
BGRC16X20	16 X 20 MM		
BGRC16X30	16 X 30 MM		
BGRC16X35	16 X 35 MM		
BGRC16X50	16 X 50 MM		
BGRC18X40	18 X 40 MM		
BGRC18X50	18 X 50 MM		
BGRC20X40	20 X 40 MM		
BGRC20X50	20 X 50 MM		
BGRC20X60	20 X 60 MM		
BGRC22X25	22 X 25 MM		
BGRC22X40	22 X 40 MM		
BGRC22X50	22 X 50 MM		
BGRC25X50	25 X 50 MM		

SEGMENTED CNC FINGER BIT FOR GRANITE AND MARBLE 1/2 GAS

- Available in Soft and Hard Bond
- Standard 1/2 gas Connection
- **Premium Quality**
- Central Water Feed

SEGMENTED - GRANITE with 1/2 GAS	
Part Number	**Description**
FBG22X40SEG	(7/8") 22 mm x 40 mm
FBG25X40SEG	(1") 25 mm x 40 mm
FBG22X50SEG	(7/8") 22 mm x 50 mm
FBG25X50SEG	(1") 25 mm x 50 mm

SEGMENTED BLIND HOLE BIT FOR GRANITE AND MARBLE SHANK OR THREADED

- Available with 12 mm shank or Thread
- Central Water Feed
- **Premium Quality**

Part Number	Description
DTI3/16-BN	3/16" (5mm)Shank
DTI1/4-BN	1/4" (6mm}Shank
DTI5/16-BN	5/16" (8mm)- Shank
DTI3/8-BN	3/8" (10mm)-Shank
DTI1/2-BN	1/2" (13mm)-Shank
DTI5/8-BN	5/8" (15mm)-Shank
DTI1/4-BNTR	1/4" (6mm)Thread
DTI5/16-BNTR	5/16"(8mm) Thread
DTI3/8-BNTR	3/8" (10mm)-Thread
DTI3/8-BNTR	1/2"(13mm)-Thread
DTI3/8-BNTR	5/8"(15mm)-Thread

DIAMOND TOOL SUPPLY INC.

SPIRAL CHANEL

- **Premium Quality**
- Precision Design For Balance
- **Any Size Available Upon Request**

PART #	Ø OD X L	ARBOR
BGRC12X30EU	12 X 30MM	
BGRC15X35EU	15 X 35 MM	
BGRC15X45EU	15 X 45 MM	
BGRC16X20EU	16 X 20 MM	
BGRC16X30EU	16 X 30 MM	
BGRC16X35EU	16 X 35 MM	
BGRC16X50EU	16 X 50 MM	
BGRC18X40EU	18 X 40 MM	
BGRC18X50EU	18 X 50 MM	1/2 GAS
BGRC20X40EU	20 X 40 MM	
BGRC20X50EU	20 X 50 MM	
BGRC20X60EU	20 X 60 MM	
BGRC22X25EU	22 X 25 MM	
BGRC22X40EU	22 X 40 MM	
BGRC22X50EU	22 X 50 MM	
BGRC25X50EU	25 X 50 MM	

SPECIAL CNC ROUTERS - ANY DESIGN PER PRINT

GAUGING WHEELS FOR CNC



- **Premium Quality**
- Available Segmented and Vacuum Brazed

Part Number	Description
BGW4	4" 100 MM Gauging Wheel
BGW3	3" 75 MM Gauging Wheel
SGW4	SEGMENTED 4" 100 MM Gauging Wheel
SGW3	SEGMENTED 3" 75 MM Gauging Wheel

DIAMOND TOOL SUPPLY, INC.

GRANITE COREDRILL 5/8-11 OR M14

- **Premium Quality**
- Fast Cutting Action

Part Number	Description
GCD9.5X50-5/8	CORE DRILL 3/8" - 9.5 mm
GCD12X50-5/8	CORE DRILL 1/2" - 12.5 mm
GCD16X50-5/8	CORE DRILL 5/8" - 15 mm
GCD19X50-5/8	CORE DRILL 3/4" - 19 mm
GCD25X50-5/8	CORE DRILL 1" - 24.5 mm
GCD32X50-5/8	CORE DRILL 1-1/4" - 32 mm
GCD35X50-5/8	CORE DRILL 1 3/8" - 35 mm
GCD37.5X50-5/8	CORE DRILL 1-1/2" - 38 mm
GCD50X50-5/8	CORE DRILL 2" - 51 mm
GCD64X50-5/8	CORE DRILL 2-1/2" - 64 mm
GCD57X50-5/8	CORE DRILL 2-1/4" - 57 mm
GCD76X50-5/8	CORE DRILL 3" - 76 mm

BRAZED SIDES COREDRILL

Part Number	Description
GCD9.5X50-5/8br	CORE DRILL 3/8" - 9.5 mm
GCD12X50-5/8BR	CORE DRILL 1/2" - 12.5 mm
GCD16X50-5/8BR	CORE DRILL 5/8" - 15 mm
GCD19X50-5/8BR	CORE DRILL 3/4" - 19 mm
GCD25X50-5/8BR	CORE DRILL 1" - 24.5 mm
GCD32X50-5/8BR	CORE DRILL 1-1/4" - 32 mm
GCD35X50-5/8BR	CORE DRILL 1 3/8" - 35 mm
GCD37.5X50-5/8BR	CORE DRILL 1-1/2" - 38 mm
GCD50X50-5/8BR	CORE DRILL 2" - 51 mm
GCD64X50-5/8BR	CORE DRILL 2-1/2" - 64 mm
GCD57X50-5/8BR	CORE DRILL 2-1/4" - 57 mm
GCD76X50-5/8BR	CORE DRILL 3" - 76 mm

- For Granite or Marble
- Clean Cut
- **Premium Quality**

SEGMENTED BLIND HOLE BIT FOR GRANITE AND MARBLE SHANK OR TREADED

- Central Water Feed
- **Premium Quality**

Part Number		Description
TW1/4-BN	1/2 GAS	1/4" - (6 MM)
TW5/16-BN	1/2 GAS	5/16" - (8 MM)
TW3/8-BN	1/2 GAS	3/8" - (10 MM)
TW1/2-BN	1/2 GAS	1/2" - (13 MM)
TW5/8-BN	1/2 GAS	5/8" - (15 MM)
TW3/4-BNTI	1/2 GAS	3/4" - (19 MM)
TW1/2-BNTI	1/2 GAS	1/2" - (12 MM)
TW1-BNTR	1/2 GAS	1" - (25 MM)

DIAMOND TOOL SUPPLY INC.

ARCHITECTURAL BRAZED BITS



#3 - ANCOR BITS











DIAMOND TOOL SUPPLY INC.

ARCHITECTURAL BRAZED BITS

- Fast Stock Removal on Hard and Soft Materials
- Long Life
- Various Shapes Available Refer to Shape Table and Part Numbers Below - 6 mm shank

DIAMOND TOOL SUPPLY, INC.

Part Number		Description	Part Number		Description
#1	R01-1	15 mm 1/2 sphere	#8-3	R08-3	24.5 mm X 12.7 mm - 1/4" (6 MM) Shank
#2-1	R02-1	9.5 mm X 9.5 mm	#9	R10-1	17 mm X 12 mm - 1/4" (6 MM) Shank
#2-2	R02-2	12 mm X 12 mm	#10	R02-1	12 mm X 14 mm triangle - 1/4" (6 MM) Shank
#2-3	R02-3	15 mm X 15 mm	#11	R02-1	15 mm sphere 1/4" (6 MM) Shank
#2-4	R02-4	18 mm X 18 mm	#12	R19-1	25 mm Dia 5 mm Thick - 1/4" (6 MM) Shank
#3-1	AB-3/16	Anchor bit 3/16" - 3/8" - (9 mm) sh.	#13	R18-6	12.7 mm Dia 2 mm Thick - 1/4"(6 MM) Shank
#3-2	AB-3/16-1	Anchor bit 3/16"	#14	R18-8	30 mm Dia 4 mm Thick - 1/4" (6 MM) Shank
#3-3	AB-1/4	Anchor bit 1/4"	#15	R18-7	20 mm Dia 1.5 mm Thick - 1/4" (6 MM) Shank
#3-4	AB1/4-1/4	Anchor bit 1/4"	#16	R18-5	25.4 mm Dia 2.2 mm Thick - 1/4"(6 MM) Shank
#3-5	AB-3/8	Anchor bit 3/8" (9 mm) - (9 mm) sh.	#17	R18-3	30 mm Dia 2.5 mm Thick - 1/4" (6 MM) Shank
#4	R24-1	25 mm X 15 mm	#18	R18-2	30 mm Dia 4 mm Thick - 1/4" (6 MM) Shank
#5	R25-2	14 mm X 12 mm	#19	R18-4	38 mm Dia 2.5 mm Thick - 1/4" (6 MM) Shank
#6	R24-3	28 mm X 15 mm	#20	R18-1	50 mm Dia 2.5 mm Thick - 1/4" (6 MM) Shank
#7	R24-2	17 mm X 10 mm	#21	R21-1	30 mm X 10 mm - 1/4" (6 MM) Shank
#8-1	R08-1	24.5 mm X 6.5 mm	#22	R22-1	10 mm X 16 mm - 1/4" (6 MM) Shank
#8-2	R08-2	24.5 mm X 9.5 mm	#23	R23	15 mm X 15 mm - 1/4" (6 MM) Shank

SINTERED BURRS - SET OF 10

- Grinding and shaping of stone
- Convinient Package
- Multiple Shapes

Part Number	Description
BURR20-VB	2.35 MM SHANK , GRIT 46

VACCUM BRAZED BURRS - SET OF 20

- Grinding and shaping of stone
- Box Set For Easy Access and Storage
- Multiple Shapes

Part Number	Description
BURR20-VB	6 MM SHANK , GRIT 46



ELECTROPLATED BURRS - SET OF 50

- Grinding and shaping of stone
- Box Set For Easy Access and Storage
- Multiple Shapes

Part Number	Description
BURR50-EP	6 MM SHANK , GRIT 120

RESIN BURRS - SET OF 7 GRIT

- Grinding and shaping of stone
- Convinient Package
- Drum Flat Tip Or Radius

Part Number	Description
BURR50-RR	6 MM SHANK , SET OF 7 GRIT - RADIUS
BURR50-FR	6 MM SHANK , SET OF 7 GRIT - FLAT

DIAMOND TOOL SUPPLY INC.

SMALL BLADES WITH SHANK - ONE PIECE SAWS - VACUUM BRAZED

SIDESPOKE

GULLETED

PART #	DESCRIPTION	
SIDESPOKE		
CD2X1/4S-40SS	2" - 50 MM	
CD2X1/4S-40SS	2" - 50 MM	
CD2-1/2X1/4S-40SS	2-1/2" - 62 MM	
CD2-1/2X3/8S-40SS	2-1/2" - 62 MM	
CD3X1/4S-40SS	3" - 75 MM	
CD3X3/8S-40SS	3" - 75 MM	
CONTINUOUS		
CD1X1/4S-40	1" - 25 MM	
CD1-1/2X1/4S-40	1-1/2" - 40 MM	
CD2X1/4S-40	2" - 50 MM	
CD2X3/8S-40	2" - 50 MM	
CD2-1/2X1/4S-40	2-1/2" - 62 MM	
CD2-1/2X3/8S-40	2-1/2" - 62 MM	
CD3X1/4S-40	3" - 75 MM	
CD3X3/8S-40	3" - 75 MM	
GULLETED		**SLOTS**
CD1X1/4S-40S	1" - 25 MM	4
CD1-1/2X1/4S-40S	1-1/2" - 40 MM	4
CD2X1/4S-40S	2" - 50 MM	4
CD2X3/8S-40S	2" - 50 MM	4
CD2-1/2X1/4S-40S	2-1/2" - 62 MM	4
CD2-1/2X3/8S-40S	2-1/2" - 62 MM	4
CD3X1/4S-40S	3" - 75 MM	4
CD3X3/8S-40S	3" - 75 MM	4

CONTINUOUS RIM

SMALL BLADES WITH SHANK - ONE PIECE SAWS - SEGMENTED



GULLETED	
SCD1-1/4X1/4	1-1/4" - 30 MM
SCD1-1/2X1/4	1-1/2" - 40 MM
SCD2X1/4	2" - 50 MM
SCD2X1/4	2" - 50 MM

CONTINUOUS	
SCD1-1/4X1/4-CONT	1-1/4" - 30 MM
SCD1-1/2X1/4-CONT	1-1/2" - 40 MM
SCD2X1/4-CONT	2" - 50 MM
SCD2X1/4-CONT	2" - 50 MM

DIAMOND TOOL SUPPLY, INC.

SPECIAL GRINDING WHEELS

SPECIAL ORDER WHEELS CUSTOM SHAPES BRAZED UP TO 310 MM DIAMETER



- Any Shape is Available Upon Request
- Brazed Wheels Never Loose Their Shape
- For Marble, Granite and Limestone
- SIZES UP TO 310 MM
- 3 Positions - Coarse, Medium, Fine

SPECIAL ORDER WHEELS CUSTOM SHAPES SEGMENTED ANY DIAMETER

- Any shape is available upon request
- Available For Marble and Granite
- Special order ANY Shape, Size **(100 to 450 mm)**
- Very Aggressive, Fast Stock Removal
- Combination of 4 Steps Possible
  Position 1 Segmented
  Position 2 Brazed
  Position 3 Brazed
  Position 3 Brazed

CUSTOM PROFILES FOR PORTABLE ROUTERS - PER PRINT OR CUSTOM PROFILED STONE

ALWAYS BEVEL THE EDGES BEFORE USING BRAZED PROFILE WHEELS

NOT BEVELING THE EDGES OF THE STONE VOIDS ANY WARRANTY ON THESE PRODUCTS

CNC TOOLING - SPECIAL ORDER

- **We offer CNC Tooling for most popular CNC Machines**
- **Any Profile Available Upon Request**
- **Recommended Sequence is Step 1 Segmented, Step 2, 3 and 4 Brazed**

UPPLY INC

SNAIL LOCK SUPPORT 4" - (100 mm), 5" (125 mm)

- Bronze Thread Attachment for Strength
- Light Weight
- Available in 5/8-11, M14 or M18 to Fit Most Machines

Part Number		
BSLS4-5/8	4" - 100 mm	5/8-11"
BSLS4-M14	4" - 100 mm	M14
BSLS4-M18	4" - 100 mm	M18
BSLS4-M20	4" - 100 mm	M20
BSLS4-M24	4" - 100 mm	M24
BSLS5-5/8	5" - 125 mm	5/8-11"
BSLS5-M14	5" - 125 mm	M14
BSLS5-M18	5" - 125 mm	M18
BSLS5-M20	5" - 125 mm	M20
BSLS5-M24	5" - 125 mm	M24
BSLS5-M30	5" - 125 mm	M30

PREMIUM VELCRO BACK FLEXIBLE (RUBBER) PADS THREADED 5/8-11" OR M-14

- Flexible Rubber Body
- Velcro Backed for Quick Change
- 2", 3", 4", 5", 7"

Part Number		
BBP2-F	2" - 50 mm	Flex
BBP3-F	3" - 75 mm	Flex
BBP4-F	4" - 100 mm	Flex
BBP5-F	5" - 125 mm	Flex
BBP7-F	7" - 175 mm	Flex

PREMIUM VELCRO BACK SUPERFLEX PADS 3", 4" THREADED 5/8-11" OR M-14

- SUPERFLEX Rubber Body
- Velcro Backed for Quick Change
- 3" (75 mm) , 4" (100 mm)

Part Number		
BBP3-SF	3" - 75 mm	SuperFlex
BBP4-SF	4" - 100 mm	SuperFlex

DIAMOND TOOL SUPPLY INC

ACCESSORIES

PREMIUM VELCRO BACK EXTREME-FLEX PADS 4" THREADED 5/8-11" OR M-14

- SUPERFLEX Rubber Body
- Velcro Backed for Quick Change
- 3" (75 mm) , 4" (100 mm)

Part Number		
BBP4-EX	4" - 100 mm	ExtremeFlex

VELCRO BACK RIGID (ALUMINUM) BACK PLATE THREADED 5/8-11" OR M-14

- Very Strong - Not Breakable
- Light Weight Aluminum Body
- Velcro Backed for Quick Change
- 3", 4", 5", 7"

Part Number		
BBP3-RAL	3" - 76 MM	Rigid
BBP4-RAL	4" - 100 MM	Rigid
BBP5-RAL	5" - 125 MM	Rigid
BBP7-RAL	7" - 150 MM	Rigid

VELCRO BACK RIGID BACKELITE BACK PLATE THREADED 5/8-11" OR M-14

- Light Weight Body
- Velcro Backed for Quick Change
- 3", 4", & 5"

Part Number		
BBP3-R	3" - 76 MM	Rigid
BBP4-R	4" - 100 MM	Rigid
BBP5-R	5" - 125 MM	Rigid

DIAMOND TOOL SUPPLY INC.

ECONOMY VELCRO BACK FLEXIBLE (RUBBER) PADS

- **Very Flexible**
- For Use On Hand Machine
- Brass Center for Life

Part Number		
EBP3-F	3" - 76 MM	Flex
EBP4-F	4" - 100 MM	Flex

VELCRO BACK SUPER FLEXIBLE

Part Number		
BBP4-CSF	4" - 100 MM	SuperFlex

VELCRO BACKING SNAIL LOCK 100 mm (4")

- For Machines With Snail Type Attachment
- Velcro Back For Quick Change

Part Number	
BBSL4	Snail Lock 4"100 MM
BBSL4-XL	Snail Lock 4" 100 MM,TH
BBSL5	Snail Lock 5" 125 MM

DIAMOND TOOL SUPPLY INC.

ELASTIC COUPLINGS

Part Number	Description
SL-ELCOUP-60XM	Elastic Coupling 60 MM
SL-ELCOUP-76XM	Elastic Coupling 76 MM
SL-ELCOUP-60X5/	Elastic Coupling 60 MM
SL-ELCOUP-60X5/	Elastic Coupling 76 MM

ADAPTERS

- Any Other Adapter Available Upon Request

Part Number	Description
AD-1/2MS-M10F	1/2" Male shaft to M10 Female
AD-1/2GF-5/8-11F	5/8-11" Female to 1/2 Gas Female
AD-1/2MS-5/8-11M	1/2" Male Shaft to 5/8-11" Male
AD-1/2GM-22-M	1/2 Gas Male to Ghines Male
AD-1/2GM-1/2G	1/2 Gas Male to 1/2 Gas Female
AD-1/2GF-2SIDE	1/2 Gas Female EXTN - Hex body
AD-1/2GM-5/8-11M	1/2 Gas Male to 5/8-11" Male
AD-7/8-5/8-11M	Blade adapter 7/8 Hole to 5/8-11 Male

FOAM RAISER - DOUBLE VELCRO

- Other Sizes Available Upon Request

Part Number	Description
RAISER-3	Raiser Pad 3" (75MM)
RAISER-4	Raiser Pad 4" (100MM)
RAISER-5	Raiser Pad 5" (125MM)
RAISER-6	Raiser Pad 7" (175MM)

DIAMOND TOOL SUPPLY INC.

LIGHT SHAPING AND POLISHING OF NATURAL STONE

FP METAL FLEX GRINDING DISC 4" (100 MM)

- Very Flexible
- Fast Material Removal
- Nice Finish, No Scratches
- Very Good for Profiled and Curved Edges

Part Number		Grit
C14M050S		50
C14M120S		120
C14M220S		220

FP 3 MM PREMIUM DIAMOND WET USE POLISHING DISCS 4" (100 MM)

Part Number		Grit	
C140050		50	LIME
C140100		100	RED
C140200		200	YELLOW
C140400		400	BLUE
C140800		800	GREEN
C141500		1500	ORANGE
C143000		3000	PINK
C14BB		BLACK	BUFF
C14WB		WHITE	BUFF

FP 2.5 MM PREMIUM DIAMOND WET USE POLISHING DISCS 4" (100 MM)

- Color Coded Velcro
- Aggressive First Grits
- Great Polish
- Very Flexible Designs

Part Number		Grit	
CE40050		50	LIME
CE40100		100	RED
CE40200		200	YELLOW
CE40400		400	BLUE
CE40800		800	GREEN
CE41500		1500	ORANGE
CE43000		3000	PINK
CE4BB		BLACK	BUFF
CE4WB		WHITE	BUFF

DIAMOND TOOL SUPPLY INC.

FP ECONOMY 4" (100 MM) 5" (125 mm) WET POLISHING DISC

Part Number		Grit		
SSPE40050		50	LIME	100 mm
SSPE40100		100	PINK	100 mm
SSPE40200		200	YELLOW	100 mm
SSPE40400		400	BLUE	100 mm
SSPE40800		800	ORANGE	100 mm
SSPE41500		1500	GREEN	100 mm
SSPE43000		3000	RED	100 mm
SSPE4BB		BLACK	BUFF	100 mm
SSPE4WB		WHITE	BUFF	100 mm

Part Number		Grit		
SSPE50050		50	LIME	125 mm
SSPE50100		100	PINK	125 mm
SSPE50200		200	YELLOW	125 mm
SSPE50400		400	BLUE	125 mm
SSPE50800		800	ORANGE	125 mm
SSPE51500		1500	GREEN	125 mm
SSPE53000		3000	RED	125 mm
SSPE5BB		BLACK	BUFF	125 mm
SSPE5WB		WHITE	BUFF	125 mm

Great Polish

Very Cost Effective

FP DRY POLISHING DISC 4" (100 MM) 5" (125 mm)

Very Flexible

Color Coded

High Quality Finish

- Long Life

- For Use On Hand Machines

Part Number		Grit	
CD140050	100 mm	50	BLUE
CD140150	100 mm	150	YELLOW
CD140300	100 mm	300	ORANGE
CD140500	100 mm	500	RED
CD141000	100 mm	1000	GREEN
CD142000	100 mm	2000	LIGHT BLUE
CD143000	100 mm	3000	BROWN
CD14BB	100 mm	BUFF	BLACK
CD14WB	100 mm	BUFF	WHITE

Part Number		Grit	
CD150050	125 mm	50	BLUE
CD150150	125 mm	150	YELLOW
CD150300	125 mm	300	ORANGE
CD150500	125 mm	500	RED
CD151000	125 mm	1000	GREEN
CD152000	125 mm	2000	LIGHT BLUE
CD153000	125 mm	3000	BROWN
CD15BB	125 mm	BUFF	BLACK
CD15WB	125 mm	BUFF	WHITE

LUXX 3",4", 5", 7" - Dry Use Only

Part Number	
SBUFF-X	76 mm
SBUFF-4X	100 mm
SBUFF-5X	125 mm
SBUFF-7X	150 mm

Better Than any Buff

Greater Shine On Granite, Marble, Concrete

High Quality Finish - Extemely Flexible

DIAMOND TOOL SUPPLY INC.

FLEXIBLE ELECTROPLATED HONING DISCS 3", 4", 5", 7"



- Very Flexible
- High Quality Finish
- Long Life
- For Use On Hand Machines
- Velcro Backed for Quick Change

Grit	Part Number			
	76 mm (3")	**100 mm (4")**	**125 mm (5")**	**175 mm (7")**
50	3x0050EP-F	4x0050EP-F	5x0050EP-F	7x0050EP-F
70	3x0070EP-F	4x0070EP-F	5x0070EP-F	7x0070EP-F
120	3x0120EP-F	4x0120EP-F	5x0120EP-F	7x0120EP-F
220	3x0220EP-F	4x0220EP-F	5x0220EP-F	7x0220EP-F
400	3x0400EP-F	4x0400EP-F	5x0400EP-F	7x0400EP-F
600	3x0600EP-F	4x0600EP-F	5x0600EP-F	7x0600EP-F
Grit	**2"X4" (50X100)**		**250 mm (10")**	**300 mm (12")**
50	HPX0050		10x0050EP-F	12x0050EP-F
70	HPX0070		10x0070EP-F	12x0070EP-F
120	HPX0120		10x0120EP-F	12x0120EP-F
220	HPX0220		10x0220EP-F	12x0220EP-F
400	HPX0400		10x0400EP-F	12x0400EP-F
600	**HPX0600**		**10x0600EP-F**	**12x0600EP-F**

NEUTEC POLISHING DISC 3" (76 MM) AND 4"(100 MM)

- **Very Flexible**
- Color Coded Velcro
- High Quality Finish
- Long Life
- For Use On Hand Machines

Part Number		Grit	
C230050	3"	50	Blue
C230150	3"	150	Yellow
C230300	3"	300	Orange
C230500	3"	500	Red
C231000	3"	1000	Green
C232000	3"	2000	Light Green
C233000	3"	3000	Brown
C23BB	3"	Buff	Black
C23WB	3"	Buff	White

Part Number		Grit	
C240050	4"	50	Blue
C240150	4"	150	Yellow
C240300	4"	300	Orange
C240500	4"	400	Red
C241000	4"	1000	Green
C242000	4"	2000	Light Green
C243000	4"	3000	Brown
C24BB	4"	Buff	Black
C24WB	4"	Buff	White

DIAMOND TOOL SUPPLY

EP DIAMOND RESIN POLISHING DISCS

- Color Coded
- High Quality Finish
- Long Life
- For Use On Hand Machines
- Great For Use on Automatic Edge-polishing Machines

TurboFlex Polishing disc 82 mm (3")		
Part Number	**Grit**	**Color**
B130050	50	Green
B130120	120	Black
B130220	220	Red
B130400	400	Yellow
B130600	600	Brown
B130800	800	White
B131800	1800	Blue
B133500	3500	Gray
B138500	8500	Purple

TurboFlex Polishing disc 100 mm (4")		
Part Number	**Grit**	**Color**
B140050	50	Green
B140120	120	Black
B140220	220	Red
B140400	400	Yellow
B140600	600	Brown
B140800	800	White
B141800	1800	Blue
B143500	3500	Gray
B148500	8500	Purple

TurboFlex Polishing disc 125 mm (5")		
Part Number	**Grit**	
B150050	50	Green
B150120	120	Black
B150220	220	Red
B150400	400	Yellow
B150600	600	Brown
B150800	800	White
B151800	1800	Blue
B153500	3500	Gray
B158500	8500	Purple

TurboFlex Polishing disc 178 mm (7")		
Part Number	**Grit**	
B170050	50	Green
B170120	120	Black
B170220	220	Red
B170400	400	Yellow
B170600	600	Brown
B170800	800	White
B171800	1800	Blue
B173500	3500	Gray
B178500	8500	Purple

DIAMOND TOOL SUPPLY INC.

LIGHT SHAPING AND POLISHING OF NATURAL STONE

FP SUPERFLEX COPPER BOND GRINDING DISC 4" - (100 MM)

- Very Flexible
- Fast Material Removal
- Nice Finish, No Scratches
- Very Good for Profiled and Curved Edges

Part Number	Grit
B14M050S	50
B14M120S	120
B14M220S	220

EP SUPERFLEX RESIN POLISHING DISCS

- **Very Flexible**
- Color Coded
- High Quality Finish
- Long Life
- For Use On Hand Machines

SuperFlex Polishing disc 82 mm (3")		
Part Number	**Grit**	**Color**
B130030S	30	Light Green
B130050S	50	Green
B130120S	120	Black
B130220S	220	Red
B130400S	400	Yellow
B130600S	600	Brown
B130800S	800	White
B131800S	1800	Blue
B133500S	3500	Gray
B138500S	8500	Purple

SuperFlex Polishing disc 100 mm (4")		
Part Number	**Grit**	**Color**
B140030S	30	Light Green
B140050S	50	Green
B140120S	120	Black
B140220S	220	Red
B140400S	400	Yellow
B140600S	600	Brown
B140800S	800	White
B141800S	1800	Blue
B143500S	3500	Gray
B148500S	8500	Purple

SuperFlex Polishing disc 125 mm (5")		
Part Number	**Grit**	
B150030S	30	Light Green
B150050S	50	Green
B150120S	120	Black
B150220S	220	Red
B150400S	400	Yellow
B150600S	600	Brown
B150800S	800	White
B151800S	1800	Blue
B153500S	3500	Gray
B158500S	8500	Purple

SuperFlex Polishing disc 125 mm (7")		
Part Number	**Grit**	
B170030S	30	Light Green
B170050S	50	Green
B170120S	120	Black
B170220S	220	Red
B170400S	400	Yellow
B170600S	600	Brown
B170800S	800	White
B171800S	1800	Blue
B173500S	3500	Gray
B178500S	8500	Purple

IMOND TOOL SUPPLY INC.

3" (76 MM) CORNER WHEELS

COPPER BOND 3" (76 MM) CORNER WHEEL

- Used For Polishing of the Corners and Flat Polishing
- Aggressive Removal

Part Number		Grit
COR30070	3"	70 Grit Copper

RESIN BOND 3" (76 MM) CORNER WHEEL

- Used For Polishing of the Corners and Flat Polishing
- 7 Resin Steps Available for Excellent Polish
- Great for installers

Part Number	Grit
3" (76MM)	
COR30100	100
COR30200	200
COR30400	400
COR30800	800
COR31500	1500
COR33000	3000

3" (76 MM) CORNER WHEEL ADAPTER 5/8-11"

- Used With 3" Corner Wheel
- Easy - Velcro Attachment
- Central Water Feed

Part Number		Grit
BB3-COR	5/8-11"	3" BACKER

DIAMOND TOOL SUPPLY INC.

SHAPING AND POLISHING OF NATURAL STONE

5 STEP SYSTEM FOR EDGE POLISHING

- Very Aggressive Graphite First And Second Step
- Step 3 Available in Copper Long Life

Part Numb	Grit	
5S-P1	POS. 1	METAL
5S-P2	POS. 2	METAL
5S-P3-COP	POS. 3	COPPER

- Very Cost Effective
- Great Polish With Just 5 Steps On Most Material
- Buff Available For Hard Stones

Part Number		
5S-P3	POS. 3	RESIN
5S-P4	POS. 4	RESIN
5S-P5	POS. 5	RESIN
5S-B	BUFF	RESIN



- Velcro Backed Or Snaillock Ready

Part Number	Grit	
5S-P3-PAD	POS. 3	RESIN
5S-P4-PAD	POS. 4	RESIN
5S-P5-PAD	POS. 5	RESIN
5S-B-PAD	BUFF	RESIN

SNAIL-LOCK POLISHING DISCS 100 MM (4")

- INTERCHANGEABLE WITH 5 STEPS
- EDGE POLISHING
- VARIETY OF GRITS FOR ANY APPLICATION



Part Number	Grit	
BSL40050	50	Green
BSL40100	100	Black
BSL40200	200	Red
BSL40500	500	Yellow
BSL40800	1000	White
BSL42000	2000	Blue
BSL43000	3000	Blue

DIAMOND TOOL SUPPLY

NS COPPER BOND DISCS WITH SNAIL LOCK BACKING 125 MM (5")

- Used For Flat Edge Granite Polishing
- Metal Bond Available to Remove Saw Blade Scratches

Part Number	Grit
BSL50070 Flat	70 Grit Copper
BSL5B0070 Bullnose	70 Grit Copper

NS PRO EDGE RESIN DISCS WITH SNAIL LOCK BACKING 5" & 6"

- 5 Resin Steps Available for Excellent Polish
- Open Diamond Surface - Ready to Cut and Polish
- White and Black Buffs For Shine on Any Color Granite Without Compounds
- Available in 2 Sizes 5" and 6"

Part Numb	Grit		Part Numb	Grit	
5" (125 mm)			6" (150 mm)		
BSL500100	100		BSL600100	100	Resin
BSL500200	200		BSL600220	220	Resin
BSL500500	500		BSL600400	400	Resin
BSL501000	1000		BSL500800	800	Resin
BSL502000	2000		BSL501800	1800	Resin
BSL5BB	Buff		BSL5BB	Black Buff	

NS 5 " (125 MM) RESIN DISCS FOR BULLNOSING WITH SNAIL LOCK BACKING

- 5 Resin Steps Available for Excellent Polish
- Open Diamond Surface - Ready to Cut after the metal steps and Polish
- Black Buffs For Shine on Any Color Granite Without Compounds

Part Number		Grit	
BSL5B00100		100	Resin
BSL5B00200		200	Resin
BSL5B00500		500	Resin
BSL5B01000		1000	Resin
BSL5B02000		2000	Resin
BSL5B03000		3000	Resin
BSL5BBB		Black Buff	

DIAMOND TOOL SUPPLY, INC.

SHAPING AND POLISHING OF NATURAL STONE

ES 4",5" and 6" PRO EDGE RESIN DISCS FOR STRAIGHT EDGE

NEW PRODUCT

- 50 TO Buff Available for Excellent Polish on Engineered Stone, Granite, Marble
- **NEW AND IMPROVED DISK AND FACE DESIGN**
- Available in 2 Sizes 5" and 6"

4" (100 mm) Flat Polish

Part Numb	Size	Grit
5"		
4SL00050	100 mm	50
4SL0100	100 mm	100
4SL0200	100 mm	200
4SL0500	100 mm	500
4SL1000	100 mm	1000
4SL2000	100 mm	2000
4SL3000	100 mm	3000
4SLBUFF	100 mm	Buff

6" (150 mm) Flat Polish

Part Numb	Size	Grit
5"		
6SL00050	150 mm	50
6SL0100	150 mm	100
6SL0200	150 mm	200
6SL0500	150 mm	500
6SL1000	150 mm	1000
6SL2000	150 mm	2000
6SL3000	150 mm	3000
5SLBUFF	150 mm	Buff

- Easy Open Face For immediate result Cut and Polish

5" (125 mm) Flat Polish

Part Numb	Size	Grit
5"		
5SL00050	125 mm	50
5SL0100	125 mm	100
5SL0200	125 mm	200
5SL0500	125 mm	500
5SL1000	125 mm	1000
5SL2000	125 mm	2000
5SL3000	125 mm	3000
5SLBUFF	125 mm	Buff

DIAMOND TOOL SUPPLY

ESB 4"(100 mm), 5" (125 MM) and 6" (150 mm) RESIN DISCS FOR BULLNOSING WITH SNAIL LOCK BACKING

- 50 To Buff Resin Steps Available for Excellent Polish
- Open Diamond Surface - Ready to Cut after the metal steps and Polish Engineered Stone, Marble, Granite
- Black Buffs For Shine on Any Color Granite Without Compounds

4" (100 mm) Multi-edge Polish

Part Numb	Size	Grit
4BSL0050	100 mm	50
4BSL0100	100 mm	100
4BSL0200	100 mm	200
4BSL0500	100 mm	500
4BSL1000	100 mm	1000
4BSL2000	100 mm	2000
4BSL3000	100 mm	3000
4BSLBUFF	100 mm	Black Buff

5" (125 mm) Multi-edge Polish

Part Numb	Size	Grit
5BSL0050	125 mm	50
5BSL0100	125 mm	100
5BSL0200	125 mm	200
5BSL0500	125 mm	500
5BSL1000	125 mm	1000
5BSL2000	125 mm	2000
5BSL3000	125 mm	3000
5BSLBUFF	125 mm	Black Buff

6" (150 mm) Multi-edge Polish

Part Numb	Size	Grit
6BSL0050	150 mm	50
6BSL0100	150 mm	100
6BSL0200	150 mm	200
6BSL0500	150 mm	500
6BSL1000	150 mm	1000
6BSL2000	150 mm	2000
6BSL3000	150 mm	3000
6BSLBUFF	150 mm	Black Buff

BEST OF CONQUER -DRY FLEXIBLE CONCRETE POLISHING

- Color Coded Face for Wet
- Color Coded Velcro for Dry
- High Quality Finish
- Long Life
- For Use On Hand Machines
- No Color Residue
- Available in DRY or WET

DIAMOND TOOL SUPPLY INC.

DRY POLISHING

Conquer Polishing disc 100 mm (4")		
Part Number	**Grit**	**Color**
BCD40050	50	Green
BCD40120S	120	Black
BCD40220S	220	Red
BCD40400S	400	Yellow
BCD40600S	600	Brown
BCD40800S	800	White
BCD41800S	1800	Blue
BCD43500S	3500	Gray

Conquer Polishing disc 125 mm (5")		
Part Number	**Grit**	
BCD50050S	50	Green
BCD50120S	120	Black
BCD50220S	220	Red
BCD50400S	400	Yellow
BCD50600S	600	Brown
BCD50800S	800	White
BCD51800S	1800	Blue
BCD53500S	3500	Gray

Conquer Polishing disc 178 mm (7")		
Part Number	**Grit**	
BCD70050S	50	Green
BCD70120S	120	Black
BCD70220S	220	Red
BCD70400S	400	Yellow
BCD70600S	600	Brown
BCD70800S	800	White
BCD71800S	1800	Blue
BCD73500S	3500	Gray

LIGHT SHAPING AND POLISHING OF CONCRETE
Conquer - Wet Semi-metal polishing disc for Extended Life

- Color Coded Velcro
- Longest Life Semi-metal Pad
- Available Up to 400 Grit

Semi-metal Polishing disc 125 mm (5")		
Part Number	**Grit**	
CTLL50030	30	Light Green
CTLL50050	50	Green
CTLL50120	120	Black
CTLL50220	220	Red
CTLL50400	400	Yellow

Semi-metal Polishing disc 178 mm (7")		
Part Number	**Grit**	
CTLL70030	30	Light Green
CTLL70050	50	Green
CTLL70120	120	Black
CTLL70220	220	Red
CTLL70400	400	Yellow

BEST OF CONQUER -WET FLEXIBLE CONCRETE POLISHING



WET POLISHING

Conquer WET Polishing disc 100 mm (4")		
Part Number	**Grit**	**Color**
BDW40050S	50	Green
BCW40120S	120	Black
BCW40220S	220	Red
BCW40400S	400	Yellow
BCW40600S	600	Brown
BCW40800S	800	White
BCW41800S	1800	Blue
BCW43500S	3500	Gray

Conquer WET Polishing disc 125 mm (5")		
Part Number	**Grit**	
BCW50050S	50	Green
BCW50120S	120	Black
BCW50220S	220	Red
BCW50400S	400	Yellow
BCW50600S	600	Brown
BCW50800S	800	White
BCW51800S	1800	Blue
BCW53500S	3500	Gray

Conquer WET Polishing disc 178 mm (7")		
Part Number	**Grit**	
BCW70050S	50	Green
BCW70120S	120	Black
BCW70220S	220	Red
BCW70400S	400	Yellow
BCW70600S	600	Brown
BCW70800S	800	White
BCW71800S	1800	Blue
BCW73500S	3500	Gray

DIAMOND TOOL SUPPLY INC.

SURFACE PREPARATION TOOLS

PREP-ONE HEAVY GRIND

- Aggressive removal of Coatings
- Very Long Life on Different Materials

Part Number		
PCD-1-R	RIGHT	1 WHOLE PCD
PCD-1-L	LEFT	1 WHOLE PCD
PCD-1/4-R	RIGHT	2 X 1/4 PCD
PCD-1/4-L	LEFT	2 X 1/4 PCD

DIAMOND TOOL SUPPLY

SPECIFY - HARD(H) MEDIUM(M) OR SOFT(S) BOND

SEGMENTS CONCRETE GRINDING

- Aggressive removal
- Long Life on Different Materials
- Color coded for ease
- Very low Cost per Sq. Ft.
- Dry or Wet

Part Number		Grit
C0006	YELLOW	6
C0016	RED	16
C0025	SILVER	25
C0040	BLACK	40
C0060	GOLD	60
C0150	GREEN	150
C0300	BLUE	300

DOTS CONCRETE GRINDING

- Aggressive removal
- Good Life on Different Materials
- Color coded for ease
- Low Cost per Sq. Ft.
- Dry or Wet

Part Number		Grit
CD0006	YELLOW	6
CD0016	RED	16
CD0025	SILVER	24
CD0040	BLACK	40
CD0060	GOLD	60
CD0150	GREEN	150
CD0300	BLUE	300

SPECIFY - HARD(H) MEDIUM(M) OR SOFT(S) BOND

NEW METALS FOR HARD CONCRETE

NEW PRODUCT

- **METAL GRINDING FOR HARD CONCRETE**
- Great Scratch Pattern
- Works on All Types of Machines

Part Number		Grit
KM0006		6
KM0016		16
KM0030		30
KM0050		50
KM0080		80
KM0100		100

RECOMMENDED RPMS: 350 - 450

COPPER 82 MM DRY

NEW PRODUCT

- Can be Used Wet or Dry
- Aggressive Scratch Removal
- **Long Life Transaction Step**

Part Number		Grit
CH3C0030	82 MM	30
CH3C0050	82 MM	50
CH3C0100	82 MM	120
CH3C0200	82 MM	220

82 MM PHENOLIC PREMIUM CONQUER

- Can be Used Dry Only
- Aggressive Scratch Removal
- Very Long Life/Low Cost Per Sq. Ft.
- **High Polish on Concrete and Granite Floors**

Part Number		Grit
KC30030	3"	30
KC30050	3"	50
KC30100	3"	120
KC30200	3"	220
KC30400	3"	400
KC30800	3"	800
KC31500		1500
KC33000	3"	3500

DIAMOND TOOL SUPPLY INC.

3" C - SERIES DRY GRIND

RESIN FIRST STEP

- VERY HARD CONCRETES
- When nothing else works DRY
- **Velcro attachment**
- Works on Most Very Concretes
- **RECOMMENDED RPMS: 350 - 450**

Part Number 76 MM		Grit
RR-C1	3"	C1
RR-C2	3"	C2
RR-C3	3"	C3
RR-C3	3"	C4

82 MM DRY CONQUER PREMIUM POLISH

- Can be Used wet
- Aggressive Scratch Removal
- **High shine polish LUXX**

Part Number		Grit
CH30030	82 MM	30
CH30050	82 MM	50
CH30100	82 MM	120
CH30200	82 MM	220
CH30400	82 MM	400
CH30800	82 MM	800
CH31800	82 MM	1800
CH33500	82 MM	3500
LUX1	82 MM	LUX 1
LUX2	82 MM	LUX 2
LUX3	82 MM	LUX 3

NEW PRODUCT

TRANS-CUT DRY TRANSACTION STEP

- CLEAN THE SCRATCHES AFTER GRIT 40 OR 50 METAL MAKE THE FLOOR READY FOR 100 OR 200 RESIN

Part Number		Grit
PP30050	3"	50
PP30100	3"	100

DIAMOND TOOL SUPPLY INC.

CONQUER WET/DRY CONCRETE GRINDING - 82 MM

- Dry or Wet
- Aggressive removal
- Very Long Life on Different Materials
- Very low Cost per Sq. Ft.

Part Number	Grit
BCM82006	6
BCM82016	16
BCM82024	24
BCM82030	30
BCM82046	46
BCM82050	50
BCM82070	70
BCM82120	120
BCM82220	220

RECOMMENDED RPMS: 350 - 450

LONG-LIFE CONQUER SEMI-METAL WET POLISHING - 76 MM

- Very Long Life/Low Cost Per Sq. Ft.
- Available in Grit 30, 50, 120

Part Number		Grit
BCM430030	3"	30
BCM430050	3"	50
BCM430120	3"	120

RECOMMENDED RPMS: 350 - 450

BEST OF CONQUER-WET CONCRETE POLISHING - 76 MM



- Color Coded
- Very High Gloss Polishing
- Wet Only Polishing

Part Number		Grit
BCW430030	3"	30
BCW430050	3"	50
BCW430120	3"	120
BCW430220	3"	220
BCW430400	3"	400
BCW430800	3"	800
BCW431800	3"	1800
BCW433500	3"	3500

DIAMOND TOOL SUPPLY INC.

82 MM LONG-LIFE CONQUER SEMI-METAL DRY POLISHING

- Aggressive Scratch Removal
- Very Long Life/Low Cost Per Sq. Ft.
- Available in Grit 30, 50, 100, 200

Part Number		Grit
CMD3030	82 mm	30
CMD3050	82 mm	50
CMD3100	82 mm	120
CMD3200	82 mm	200

76 MM BEST OF CONQUER -DRY CONCRETE POLISHING

- Dry Only Polishing
- Very High Gloss Polishing
- Color Coded Velcro Backing
- No Color Residue on Polished Material

Part Number		Grit
BC430030	3"	30
BC430050	3"	50
BC430120	3"	120
BC430220	3"	220
BC430400	3"	400
BC430800	3"	800
BC431800	3"	1800
BC433500	3"	3500

CONCRETE POLISHING TOOLS
CONQUER 60MM DOTS -DRY POLISHING

- 60 mm Pads Available with Pin Connection
- For Multi Head Planetary Machines
- Designed for HTC and Other Machinery taking smaller discs
- No COLOR Transfer

Part Numbe	Grit	VELCRO
DDC60X0030	30	Light Green
DDC60X0050	50	Green
DDC60X0120	120	Black
DDC60X0220	220	Red
DDC60X0400	400	Yellow
DDC60X0800	800	White
DDC60X1800	1800	Blue
DDC60X3500	3500	Gray

CONQUER 100 MM CONCRETE POLISHING

- Different Face Designs also Available
- Design For Klindex and Other Equipment

DRY POLISHING 100 MM

Part Numbe	Grit	VELCRO
BCD40030	30	Light Green
BCD40050	50	Green
BCD40120	120	Black
BCD40220	220	Red
BCD40400	400	Yellow
BCD40800	800	White
BCD41800	1800	Blue
BCD43500	3500	Gray

WET POLISHING 100 MM

Part Number	Grit	FACE
BCW40030	30	Light Green
BCW40050	50	Green
BCW40120	120	Black
BCW40220	220	Red
BCW40400	400	Yello
BCW40800	800	White
BCW41800	1800	Blue
BCW43500	3500	Gray

7" x 4.5" DRY POLISH RING

- Replaces 7" Cup Wheels for edging
- 4 Very aggressive grinding steps
- **High shine polishing steps**

NEW PRODUCTS



Part Number		Grit
BCD7X4.5003	7 X 4.5"	30
BCD7X4.5005	7 X 4.5"	50
BCD7X4.5012	7 X 4.5"	120
BCD7X4.5022	7 X 4.5"	220
BCD7X4.5040	7 X 4.5"	400
BCD7X4.5080	7 X 4.5"	800
BCD7X4.5180	7 X 4.5"	1800
BCD7X4.5X35	7 X 4.5"	1800

Part Number		Grit
RR7X4.5-C1	7 X 4.5"	C1
RR7X4.5-C2	7 X 4.5"	C2
RR7X4.5-C3	7 X 4.5"	C3
RR7X4.5-C4	7 X 4.5"	C4

DIAMOND TOOL SUPPLY INC

PREMIUM CONQUER
- CONCRETE AND GRANITE POLISHING 4", 4-3/4", 5", 5-3/4"

NEW PRODUCT

- Color Coded Velcro
- High Quality Finish
- Long Life on Concrete and Granite
- For Use On Hand or Floor Machines
- No Color Residue
- **Fits Mastercraft, National, Werkmaster etc.**

Conquer Polishing disc 125 mm (5")		
Part Number	**Grit**	
KC50050S	50	Green
KC50120S	120	Black
KC50220S	220	Red
KC50400S	400	Yellow
KC50800S	800	White
KC51800S	1800	Blue
KC53500S	3500	Gray

Conquer Polishing disc 100 mm (4")		
Part Number	**Grit**	**Color**
KC40050S	50	Green
KC40120S	120	Black
KC40220S	220	Red
KC40400S	400	Yellow
KC40800S	800	White
KC41800S	1800	Blue
KC43500S	3500	Gray

Conquer Polishing disc 120 mm (4-3/4")		
Part Number	**Grit**	
KC4750050S	50	Green
KC4750120S	120	Black
KC4750220S	220	Red
KC4750400S	400	Yellow
KC4750800S	800	White
KC4751800S	1800	Blue
KC4753500S	3500	Gray

Conquer Polishing disc 155 mm (5-3/4")		
Part Number	**Grit**	
KC5750050S	50	Green
KC5750120S	120	Black
KC5750220S	220	Red
KC5750400S	400	Yellow
KC5750800S	800	White
KC5751800S	1800	Blue
KC5753500S	3500	Gray

DIAMOND TOOL SUPPLY INC.

5" C - SERIES DRY GRIND

NEW PRODUCTS

- RESIN FIRST STEP VERY HARD CONCRETES
- When nothing else works DRY
- **Velcro attachment**
- Works on Most Very Hard Concretes

Part Number 76 MM		Grit
RR5-C1	5"	C1
RR5-C2	5"	C2
RR5-C3	5"	C3
RR5-C3	5"	C4

BEST OF CONQUER -DRY FLEXIBLE CONCRETE POLISHING



- Color Coded Face for Wet
- Color Coded Velcro for Dry
- High Quality Finish
- Long Life
- For Use On Hand Machines
- No Color Residue

Conquer Polishing disc 125 mm (5")		
Part Number	**Grit**	
BCD50050S	50	Green
BCD50120S	120	Black
BCD50220S	220	Red
BCD50400S	400	Yellow
BCD50600S	600	Brown
BCD50800S	800	White
BCD51800S	1800	Blue
BCD53500S	3500	Gray

Conquer Polishing disc 178 mm (7")		
Part Number	**Grit**	
BCD70050S	50	Green
BCD70120S	120	Black
BCD70220S	220	Red
BCD70400S	400	Yellow
BCD70600S	600	Brown
BCD70800S	800	White
BCD71800S	1800	Blue
BCD73500S	3500	Gray

DRY POLISHING

Conquer Polishing disc 100 mm (4")		
Part Number	**Grit**	**Color**
BCD40050S	50	Green
BCD40120S	120	Black
BCD40220S	220	Red
BCD40400S	400	Yellow
BCD40600S	600	Brown
BCD40800S	800	White
BCD41800S	1800	Blue
BCD43500S	3500	Gray

DIAMOND TOOL SUPPLY

BEST OF CONQUER -WET SEMI-METAL DISC FOR LONG LIFE

- Color Coded Velcro
- Longest Life Semi-metal Pad
- Available Up to 400 Grit



Semi-metal Polishing disc 125 mm (5")		
Part Numbe	Grit	
CTLL50030	30	Light Green
CTLL50050	50	Green
CTLL50120	120	Black
CTLL50220	220	Red
CTLL50400	400	Yellow

Semi-metal Polishing disc 178 mm (7")		
Part Numbe	Grit	
CTLL70030	30	Light Green
CTLL70050	50	Green
CTLL70120	120	Black
CTLL70220	220	Red
CTLL70400	400	Yellow

BEST OF CONQUER -WET FLEXIBLE CONCRETE POLISHING



WET POLISHING

Conquer WET Polishing disc 100 mm (4")		
Part Number	Grit	Color
BDW40030S	30	Green
BDW40050S	50	Green
BCW40120S	120	Black
BCW40220S	220	Red
BCW40400S	400	Yellow
BCW40600S	600	Brown
BCW40800S	800	White
BCW41800S	1800	Blue
BCW43500S	3500	Gray

Conquer WET Polishing disc 125 mm (5")			
Part Number		Grit	
BCW50030	S	30	Green
BCW50050	S	50	Green
BCW50120	S	120	Black
BCW50220	S	220	Red
BCW50400	S	400	Yellow
BCW50600	S	600	Brown
BCW50800	S	800	White
BCW51800	S	1800	Blue
BCW53500	S	3500	Gray

Conquer WET Polishing disc 178 mm (7")		
Part Number	Grit	
BCW70030S	30	Green
BCW70050S	50	Green
BCW70120S	120	Black
BCW70220S	220	Red
BCW70400S	400	Yellow
BCW70600S	600	Brown
BCW70800S	800	White
BCW71800S	1800	Blue
BCW73500S	3500	Gray

DIAMOND TOOL SUPPLY INC.

EPOXIE TERRAZZO POLISHING DISC

RESIN BOND ET 3" (76 MM) WET DISC

NEW PRODUCT

- Very Aggressive First Steps
- Thickness - 8 mm
- **High Quality Polishing for EPOXI Terrazzo**
- Low Cost Per Square Foot

3" (76 MM)

Part Number		Grit
ET30030	76 MM	30
ET30050	76 MM	50
ET30120	76 MM	120
ET30220	76 MM	220
ET30400	76 MM	400
ET30600	76 MM	600
ET30800	76 MM	800
ET31800	76 MM	1800
ET33500	76 MM	3500
ET38500	76 MM	8500

DIAMOND TOOL SUPPLY INC

RESIN BOND MARBLE AND GRANITE POLISHING - MG3

NEW PRODUCT

- Designed For **Marble and Granite**
  Planetary Floor Machines
  8 mm
- Extremely Long Life
- Low Cost per Square Foot
- Diamond Polish to High Shine

	Part Number		Grit
	MG30030	76 MM	30
	MG30050	76 MM	50
	MG30120	76 MM	120
	MG30220	76 MM	220
	MG30400	76 MM	400
	MG30600	76 MM	600
	MG30800	76 MM	800
	MG31800	76 MM	1800
	MG33500	76 MM	3500
	MG3-B	76 MM	BLACK LUXX
	MG3W	76 MM	WHITE LUX



GRANITE LUXX

RESIN BOND WET POLISHING - 'FLOWER' - 3" (76 MM) & 4" (100 MM)

- High Quality Polishing
- Thickness - 8 mm
- Very Long Life
- Low Cost Per Square Foot

Part Number		Grit
BR30030	76 MM	30
BR30050	76 MM	50
BR30120	76 MM	120
BR30220	76 MM	220
BR30400	76 MM	400
BR30600	76 MM	600
BR30800	76 MM	800
BR31800	76 MM	1800
BR33500	76 MM	3500
BR38500	76 MM	8500

Part Number		Grit
BR40030	100 MM	30
BR40050	100 MM	50
BR40120	100 MM	120
BR40220	100 MM	220
BR40400	100 MM	400
BR40600	100 MM	600
BR40800	100 MM	800
BR41800	100 MM	1800
BR43500	100 MM	3500
BR48500	100 MM	8500

RESIN BOND WET POLISHING - 'SUPERSHINE' - 3" (76 MM) & 4" (100 MM)

- Designed For **KLINDEX** and Other Planetary Floor Machines 12 mm Thick
- Extrimaly Long Life
- Low Cost per Square Foot

Size	3" (76 MM)		Grit
	B430030	76 MM	30
	B430050	76 MM	50
	B430120	76 MM	120
	B430220	76 MM	220
	B430400	76 MM	400
	B430600	76 MM	600
	B430800	76 MM	800
	B431800	76 MM	1800
	B433500	76 MM	3500
	B438500	76 MM	8500

4" (100 MM)		Grit
B440030	100 MM	30
B440050	100 MM	50
B440120	100 MM	120
B440220	100 MM	220
B440400	100 MM	400
B440600	100 MM	600
B440800	100 MM	800
B441800	100 MM	1800
B443500	100 MM	3500
B448500	100 MM	8500

DIAMOND TOOL SUPPLY, INC.

METAL LIPPAGE DISC 3"

- Available for Variety of Machines
- Long Life
- **Velcro or pin** attachment

Part Number		Grit
C3M006	3"	Grit 6
C3M012	3"	Grit 12
C3M030	3"	Grit 30
C3M070	3"	Grit 70
C3M120	3"	Grit 120
C3M220	3"	Grit 220

SINTERED 2" TERRAZZO DIAMOND PLUGS

- ***Very Cost Effective***
- For Grinding of Concrete and Terrazzo
- 1/2" Thick Diamond Section - Long Life

Part Numb	Size	
TZ-006	2"	Terrazzo Plug Grit 6
TZ-016	2"	Terrazzo Plug Grit 16
TZ-024	2"	Terrazzo Plug Grit 24/30
TZ-070	2"	Terrazzo Plug Grit 70
TZ-100	2"	Terrazzo Plug Grit 100

SINTERED 1" TERRAZZO DIAMOND PLUGS

Part Numb	Size	
STZ-006	1"	Terrazzo Plug Grit 6
STZ-016	1"	Terrazzo Plug Grit 16
STZ-024	1"	Terrazzo Plug Grit 24/30
STZ-070	1"	Terrazzo Plug Grit 70
STZ-100	1"	Terrazzo Plug Grit 100

BRAZED TURBOCAT 3", 4", 5"

- Very Fast Lippage Removal on Concrete, Marble and Terrazzo
- Long Lasting
- ***Cost Effective***

Part Number		
BTC4X0030BR	4"	Grit 30
BTC4X050BR	4"	Grit 50
BTC4X100BR	4"	Grit 100
BTC4X200BR	4"	Grit 200
BTC4X300BR	4"	Grit 300
BTC5X030BR	5"	Grit 50
BTC5X050BR	5"	Grit 50
BTC5X100BR	5"	Grit 100
BTC5X200BR	5"	Grit 200
BTC5X300BR	5"	Grit 300

Part Number		
BTC3X030BR	3"	Grit 30
BTC3X050BR	3"	Grit 50
BTC3X100BR	3"	Grit 100
BTC3X200BR	3"	Grit 200
BTC3X300BR	3"	Grit 300

DIAMOND TOOL SUPPLY

METAL BOND TOOLS 4" FOR CONCRETE, MARBLE & TERRAZZO

- Designed For **KLINDEX** and Other Planetary Floor Machines
- For **Fast** Lippage Removal
- **Long Life** on Concrete, Marble Limestone & Terrazzo

Part Number	Grit
BLR40006FF	Grit 6
BLR40016FF	Grit 16
BLR40024FF	Grit 24
BLR40046FF	Grit 46
BLR40070FF	Grit 70
BLR40120FF	Grit 120

TURBO CUP WHEEL 3" & 4" - 5/8-11" or M-14

- Long Life, Good Balance
- For Use on Angle Grinders
- To Hand Shape Edges (all stone)

Part Numb	Size		
CW5/8-3C	75 mm	3"	Coarse
CW5/8-3M	75 mm	3"	Medium
CW5/8-3F	75 mm	3"	Fine

Part Num	Size		
CW5/8-C	100 mm	4"	Coarse
CW5/8-M	100 mm	4"	Medium
CW5/8-F	100 mm	4"	Fine

TURBO CUP WHEEL FOR CONCRETE 5/8-11" or M-14

- The Next generation of Concrete Cup Wheels
- Replaces Single & Double Row Configuration
- Fast And Lightweight
- Material is Not Trapped Between Segments
- Segments Protrude on the Diameter to Allow Close Corner Grinding

Part Number	Size	
CW7-18-5/8	7"	18 Segment

DIAMOND TOOL SUPPLY INC.

4" AND 5" VACUUM BRAZED CUP WHEEL 5/8-11

- For Use on Angle Grinders
- Cut and Grind
- Very Cost Effective

Part Numbe	Grit	Size
CWSP-4-C	Coarse	100 mm
CWSP-4-F	Fine	100 mm
CWSP-5-C	Coarse	125 mm
CWSP-5-F	Fine	125 mm

4-1/2" & 7" SEK VACUUM BRAZED GRINDING WHEEL

- Grinding and shaping of concrete and natural stone
- Rigid and VERY Fast
- 5 Positions Available

Part Number		Description
7"	4-1/2"	
SEK7P0	SEK4P0	POS 0
SEK7P1	SEK4P1	POS 1
SEK7P2	SEK4P2	POS 2
SEK7P3	SEK4P3	POS 3
SEK7P4	SEK4P4	POS 4
SEK7P5	SEK4P5	POS 5

CON-DENSE - CONCRETE DENSIFIER

- Permanently Strengthen Old and New Concrete Floors
- Delivers High Abrasion Resistance
- Dust Proofs Floors
- Increased Impact Resistance
- Emits NO Harmful Vapors

Part Number	Size
CDS-001-05	5GAL
CDS-001-50	50GAL

DIAMOND TOOL SUPPLY INC.

SINTERED METAL BOND LIPPAGE TOOLS 3" (76 MM) FOR GRANITE, MARBLE, LIMESTONE & TERRAZZO

- For **Fast** Lippage Removal
- Guaranteed **Long Life** on Marble, Limest & Terrazzo
  Make The Floor Flat!!

Part Number			
BLR0046FF		3"	Grit 46
BLR0070FF		3"	Grit 70

SINTERED COPPER BOND TOOLS 3" (76 MM) FOR GRANITE AND MARBLE



- Make The Surface Ready For Resin Bond Diamonds
- Extends The Life Of The Resin Bond Diam and Of The Complete Restoration Systen
- Cuts Down the Cost

Part Number			
BLR0120FF		3"	Grit 120
BLR0220FF		3"	Grit 220
BLR0400FF		3"	Grit 400
BLR0600FF		3"	Grit 600
BLR0800FF		3"	Grit 800

TOOL SUPPLY INC.

DIAMOND PRODUCTS FOR FLOOR GRINDING AND POLISHING

SINTERED METAL BOND LIPPAGE TOOLS 4" (100 MM)

- Designed For **KLINDEX** and Other Planetary Floor Machines
- For **Fast** Lippage Removal
- Guaranteed **Long Life** on Marble, Limestone & Terrazzo
- Works on Concrete
- Make The Floor Flat!!

Part Number			
BLR40046FF		4"	Grit 46
BLR40070FF		4"	Grit 70

SINTERED COPPER BOND TOOLS 4" (100 MM) FOR GRANITE AND MARBLE

- Designed For **KLINDEX** and Other Planetary Floor Machines
- Make The Surface Ready For Resin Bond Diamonds
- Extends The Life Of The Resin Bond Diamonds and Of The Complete Restoration System Longer
- Cuts Down the Cost

Part Number			
BLR40120FF		4"	Grit 120
BLR40220FF		4"	Grit 220
BLR40400FF		4"	Grit 400
BLR40600FF		4"	Grit 600
BLR40800FF		4"	Grit 800
BLR41800FF		4"	Grit 1800

DIAMOND TOOL SUPPLY INC.

DIAMOND PRODUCTS FOR FLOOR GRINDING AND POLISHING

SOFTCUT FOR GRANITE, MARBLE, LIMESTONE, TERRAZZO

- Velcro Backed Metal Bonded Diamond Disc
- Long Life Lippage Removal Tool for SOFT Stones
- For Lippage and **Pre-polish** of Terrazzo

Part Number			
B3X0050	3-1/2"	82mm	Grit 50
B3X0120	3-1/2"	82mm	Grit 120
B3X0220	3-1/2"	82mm	Grit 220
B3X0400	3-1/2"	82mm	Grit 400
B3X0600	3-1/2"	82mm	Grit 600
B3X-A-V	Plate Adaptor 3-1/2"		

BRAZED BULLCAT

Part Number			
BC3X0030BR	76 MM	3"	Grit 30
BC3X0050BR	76 MM	3"	Grit 50
BC3X0100BR	76 MM	3"	Grit 100
BC3X0200BR	76 MM	3"	Grit 200
BC3X0300BR	76 MM	3"	Grit 300
BC4X0030BR	100 MM	4"	Grit 30
BC4X050BR	100 MM	4"	Grit 50
BC4X0100BR	100 MM	4"	Grit 100
BC4X0200BR	100 MM	4"	Grit 200
BC4X0300BR	100 MM	4"	Grit 300
BC5X0030BR	125 MM	5"	Grit 30
BC5X050BR	125 MM	5"	Grit 50
BC5X0100BR	125 MM	5"	Grit 100
BC5X0200BR	125 MM	5"	Grit 200
BC5X0300BR	125 MM	5"	Grit 300

- Very Fast Lippage Removal on Marble and Terrazzo
- Long Lasting
- ***Cost Effective***

BRAZED TURBOCAT

Part Number			
TC3X0030BR	76 MM	3"	Grit 30
TC3X0050BR	76 MM	3"	Grit 50
TC3X0100BR	76 MM	3"	Grit 100
TC3X0200BR	76 MM	3"	Grit 200
TC3X0300BR	76 MM	3"	Grit 300
TC4X0030BR	100 MM	4"	Grit 30
TC4X0050BR	100 MM	4"	Grit 50
TC4X0100BR	100 MM	4"	Grit 100
TC4X0200BR	100 MM	4"	Grit 200
TC4X0300BR	100 MM	4"	Grit 300
TC5X0030BR	125 MM	5"	Grit 30
TC5X0050BR	125 MM	5"	Grit 50
TC5X0100BR	125 MM	5"	Grit 100
TC5X0200BR	125 MM	5"	Grit 200
TC5X0300BR	125 MM	5"	Grit 300

DIAMOND TOOL SUPPLY INC.

DIAMOND PRODUCTS FOR FLOOR GRINDING AND POLISHING

200 MM 8" METAL BOND GRINDING HEAD FOR CIMEX MACHINE

- Very Aggressive
- Good Life
- High Quality Performance

Part Number	Grit
B8CIM0050	50
B8CIM0100	100
B8CIM0200	200

FRANKFURT METAL BOND



- Very Aggressive
- Good Life
- High Quality Performance

Part Number		Grit
FM30		30
FM60		60

BRUSHES

Part Number			
AB0046-4XSL	100 MM	4"	Grit 46
AB0060-4XSL	100 MM	4"	Grit 60
AB0120-4XSL	100 MM	4"	Grit 120
AB0220-4XSL	100 MM	4"	Grit 220
AB0300-4XSL	100 MM	4"	Grit 300
AB0046-FXSL	FRANKFURT		Grit 46
AB0060-FXSL	FRANKFURT		Grit 60
AB0120-FXSL	FRANKFURT		Grit 120
AB0220-FXSL	FRANKFURT		Grit 220
AB0300-FXSL	FRANKFURT		Grit 300

ND TOOL SUPPLY INC.

DIAMOND PRODUCTS FOR FLOOR GRINDING AND POLISHING

PREMIUM COPPER LIPPAGE DISC - 3" (76 MM)

- Fast Lippage Removal
- Nice Surface After Lippage No Deep Scratches
- Very Long Life
- Low Cost Per Square Foot

Part Number	Grit
BEMG30050C	50
BEMG30100C	100

PREMIUM GRANITE FLOOR POLISHING DISCS - 3" (76 MM)

- Very High Gloss Polishing
- Restores to Deep Natural Color
- Very Long Life
- Thickness - 9.5 mm
- Low Cost Per Square Foot

Part Number	Grit
BEMG30100	100
BEMG30200	200
BEMG30400	400
BEMG30800	800
BEMG31500	1500
BEMG33000	3000

PREMIUM MARBLE FLOOR POLISHING DISCS - 3" (76 MM)

- Very High Gloss Polishing
- Restores to Deep Natural Color
- Very Long Life/Low Cost
- Thickness - 9.5 mm

Part Number		Grit
BEMM30050		50
BEMM30100		100
BEMM30200		200
BEMM30400		400
BEMM30800		800

DIAMOND TOOL SUPPLY INC.

DIAMOND PRODUCTS FOR FLOOR GRINDING AND POLISHING

RESIN BOND FLOOR POLISHING DISCS - 'TRIPLE THICK' - 3" (76 MM)

- High Quality Polishing
- Thickness - 7 mm
- Very Long Life -
- Low Cost Per Square Foot

Part Number		Grit	
B30050		50	Green
B30120		120	Black
B30220		220	Red
B30400		400	Yellow
B30600		600	Brown
B30800		800	White
B31800		1800	Blue
B33500		3500	Gray
B38500		8500	Purple

RESIN BOND FLOOR POLISHING DISCS - 'TURBOFLEX' 3" (76 MM)

- Color Coded
- Thickness - 3 mm
- High Quality Polishing
- Long Life

Part Number		Grit	
130050		50	Green
130120		120	Black
130220		220	Red
130400		400	Yellow
130600		600	Brown
130800		800	White
131800		1800	Blue
133500		3500	Gray
138500		8500	Purple

DIAMOND TOOL SUPPLY, INC.

DIAMOND PRODUCTS FOR FLOOR GRINDING AND POLISHING

RESIN BOND FLOOR POLISHING DISCS - 'FLOWER' - 3" (76 MM) & 4" (100 MM)

- High Quality Polishing
- Thickness - 8 mm
- Very Long Life
- Low Cost Per Square Foot

Part Number		Grit
BR30050	76 MM	50
BR30120	76 MM	120
BR30220	76 MM	220
BR30400	76 MM	400
BR30600	76 MM	600
BR30800	76 MM	800
BR31800	76 MM	1800
BR33500	76 MM	3500
BR38500	76 MM	8500

Part Number		Grit
BR40050	100 MM	50
BR40120	100 MM	120
BR40220	100 MM	220
BR40400	100 MM	400
BR40600	100 MM	600
BR40800	100 MM	800
BR41800	100 MM	1800
BR43500	100 MM	3500
BR48500	100 MM	8500

RESIN BOND FLOOR POLISHING DISCS - 'PRO-RESTORE' - 3" (76 MM)

- Color Coded
- Thickness - 9.5 mm
- High Quality Polishing
- Very Long Life
- Low Cost Per Square Foot

Part Number		Grit	
BAP30050	76 MM	50	Green
BAP30120	76 MM	120	Black
BAP30220	76 MM	220	Red
BAP30400	76 MM	400	Yellow
BAP30600	76 MM	600	Brown
BAP30800	76 MM	800	White
BAP31800	76 MM	1800	Blue
BAP33500	76 MM	3500	Gray
BAP38500	76 MM	8500	Purple

IMOND TOOL SUPPLY INC.

DIAMOND PRODUCTS FOR FLOOR GRINDING AND POLISHING

RESIN BOND FLOOR POLISHING DISCS - 'SPIRAL' - 3" (76 MM)

- High Quality Polishing
- Chamfered on The Edge
- Thickness - 7 mm
- Long Life
- Low Cost Per Square Foot

Part Number		Grit	
B40050	76 MM	50	Green
B40120	76 MM	120	Black
B40220	76 MM	220	Red
B40400	76 MM	400	Yellow
B40600	76 MM	600	Brown
B40800	76 MM	800	White
B41800	76 MM	1800	Blue
B43500	76 MM	3500	Gray
B48500	76 MM	8500	Purple

RESIN BOND FLOOR POLISHING DISC 2", 3", 4" - SUPERSHINE

- Designed For **KLINDEX** and Other Planetary Floor Machines
  12 mm Thick
- Extremely Long Life
- Low Cost per Square Foot

Part Number	2" (50 MM)	3" (76 MM)	4" (100 MM)	Grit	
	B420050	B430050	B440050	50	Green
	B420120	B430120	B440120	120	Black
	B420220	B430220	B440220	220	Red
	B420400	B430400	B440400	400	Yellow
	B420600	B430600	B440600	600	Brown
	B420800	B430800	B440800	800	White
	B421800	B431800	B441800	1800	Blue
	B423500	B433500	B443500	3500	Gray
	B428500	B438500	B448500	8500	Purple

DIAMOND TOOL SUPPLY INC.

DIAMOND PRODUCTS FOR FLOOR GRINDING AND POLISHING

RESIN BOND FLOOR POLISHING DISCS - 'FRANKFURT'



- High Quality Polishing
- Special Beveled Edges
- Long Life
- Low Cost Per Square Foot

Part Number		Grit	
B50050		50	Green
B50120		120	Black
B50220		220	Red
B50400		400	Yellow
B50600		600	Brown
B50800		800	White
B51800		1800	Blue
B53500		3500	Gray

FINAL POLISHING PAD FOR MARBLE, LIMESTONE & TERRAZZO

Part Number		Size
3M-W-18		18"
3M-W-6		6"

DIAMOND TOOL

DIAMOND TOOL SUPPLY, INC.

QUICK 3 STEP CLEAN AND POLISH

PREVIOUSLY KNOWN AS VORTEX

DIAMOND TOOL S



STEP -A

STEP - B

STEP - C

DIP #3

- For use of low speed conventional equipment automatic srubber, buffer, swing machine
- Ideal for CLEANING AND POLISHING of:
  - Terrazzo (epoxy or cement)
  - Marble
  - Concrete

- Green System - Bring shine back in only 3 Steps
- Very Cost effective in comparison with other methods requiring coating
- No dust - wet process

WWW.DIAMONDTOOLSUPPLY.COM
PHONE +734-243-9900 FAX +734-243-2982

300 DETROIT AVENUE, SUITE D, MONROE, MI 48162 USA

FLEXIBLE DIAMOND SYSTEM FOR CLEANING AND MAINTENANCE

The Monroe flexible system is a diamond system for **c**leaning and **m**aintenance of already polished terrazzo, marble, concrete and other types of floors. All components of the *Monroe* system can be used with conventional cleaning/maintenance equipment such as scrubbers, buffers, propane or electrical burnisher, planetary floor machines.

With Monroe flexible system we add the Flexible Dot Rubber Pad (DRP-DS) and the Flexible Diamond Impregnated Pad (DIP) to the traditional floor scrubbing pad systems and make it possible to do full floor restoration and polishing. The products from the Monroe system polish the floor mechanically, removing scratches and bringing back (rejuvenating) the shine of previously polished floors.

DIAMOND TOOL SUPPLY

The system is available in 4" (100mm) to 27" (685mm) and it consists of:

- ***VorteX Flexible Dot Rubber Pad Diamond System (DRP-DS)-*** *use with soft white pad for damaged natural stone, terrazzo and concrete floors*
  Available in ***4"(100 mm) to 21"(535mm)***

- ***Monroe Flexible Diamond Impregnated Pads (DIP)*** *Steps*
  Available in ***4(100 mm)" to 27"(685mm)***

Recommended Diamond Impregnated Pads ***(DIP)*** *Steps*
For light cleaning and maintenance

- Step 1 wet
- Step 2 wet
- Step 3 wet or dry
- Step 4 wet marble only

Also available ***DIP*** *Aggressive Steps*

- Coarse
- Meduim

Monroe Flexible Diamond Impregnated Pads (DIP)Part Numbers

- Step 1 Rejuvenate dull areas as necessary; follow with steps 2 and 3
- Step 2 Periodic use on heavier traffic areas; follow with step 3
- Step 3 daily/ routine Maintenance – keeps the floor surface clean and shiny

DIAMOND TOOL SUPPLY INC.

P.N.	DESCRIPTION	DIP
M04.B	4”(100MM) DIP MONROE	- BLACK
M04.R	4”(100MM) DIP MONROE	- RED
M04.1	4”(100MM) DIP MONROE	-STEP 1 MAINTENANCE
M04.2	4”(100MM) DIP MONROE	-STEP 2 MAINTENANCE
M04.3	4”(100MM) DIP MONROE	-STEP 3 MAINTENANCE
M04.4	4”(100MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE
M05.B	5”(125MM) DIP MONROE	- BLACK
M05.R	5”(125MM) DIP MONROE	- RED
M05.1	5”(125MM) DIP MONROE	-STEP 1 MAINTENANCE
M05.2	5”(125MM) DIP MONROE	-STEP 2 MAINTENANCE
M05.3	5”(125MM) DIP MONROE	-STEP 3 MAINTENANCE
M05.4	5”(125MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE
M07.B	7”(180MM) DIP MONROE	- BLACK
M07.R	7”(180MM) DIP MONROE	- RED
M07.1	7”(180MM) DIP MONROE	-STEP 1 MAINTENANCE
M07.2	7”(180MM) DIP MONROE	-STEP 2 MAINTENANCE
M07.3	7”(180MM) DIP MONROE	-STEP 3 MAINTENANCE
M07.4	7”(180MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE
M08.B	8”(205MM) DIP MONROE	- BLACK
M08.R	8”(205MM) DIP MONROE	- RED
M08.1	8”(205MM) DIP MONROE	-STEP 1 MAINTENANCE
M08.2	8”(205MM) DIP MONROE	-STEP 2 MAINTENANCE
M08.3	8”(205MM) DIP MONROE	-STEP 3 MAINTENANCE
M08.4	8”(205MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE
M09.B	9”(230MM) DIP MONROE	- BLACK
M09.R	9”(230MM) DIP MONROE	- RED
M09.1	9”(230MM) DIP MONROE	-STEP 1 MAINTENANCE
M09.2	9”(230MM) DIP MONROE	-STEP 2 MAINTENANCE
M09.3	9”(230MM) DIP MONROE	-STEP 3 MAINTENANCE
M09.4	9”(230MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE
M10.B	10”(250MM) DIP MONROE	- BLACK
M10.R	10”(250MM) DIP MONROE	- RED
M10.1	10”(250MM) DIP MONROE	-STEP 1 MAINTENANCE
M10.2	10”(250MM) DIP MONROE	-STEP 2 MAINTENANCE
M10.3	10”(250MM) DIP MONROE	-STEP 3 MAINTENANCE
M10.4	10”(250MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE

P.N.	DESCRIPTION	DIP
M11.B	11”(255MM) DIP MONROE	- BLACK
M11.R	11”(275MM) DIP MONROE	- RED
M11.1	11”(275MM) DIP MONROE	-STEP 1 MAINTENANCE
M11.2	11”(275MM) DIP MONROE	-STEP 2 MAINTENANCE
M11.3	11”(275MM) DIP MONROE	-STEP 3 MAINTENANCE
M11.4	11”(275MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE
M12.B	12”(300MM) DIP MONROE	- BLACK
M12.R	12”(300MM) DIP MONROE	- RED
M12.1	12”(300MM) DIP MONROE	-STEP 1 MAINTENANCE
M12.2	12”(300MM) DIP MONROE	-STEP 2 MAINTENANCE
M12.3	12”(300MM) DIP MONROE	-STEP 3 MAINTENANCE
M12.4	12”(300MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE
M13.B	13”(330MM) DIP MONROE	- BLACK
M13.R	13”(330MM) DIP MONROE	- RED
M13.1	13”(330MM) DIP MONROE	-STEP 1 MAINTENANCE
M13.2	13”(330MM) DIP MONROE	-STEP 2 MAINTENANCE
M13.3	13”(330MM) DIP MONROE	-STEP 3 MAINTENANCE
M13.4	13”(330MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE
M14.B	14”(355MM) DIP MONROE	- BLACK
M14.R	14”(355MM) DIP MONROE	- RED
M14.1	14”(355MM) DIP MONROE	-STEP 1 MAINTENANCE
M14.2	14”(355MM) DIP MONROE	-STEP 2 MAINTENANCE
M14.3	14”(355MM) DIP MONROE	-STEP 3 MAINTENANCE
M14.4	14”(355MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE
M15.B	15”(380MM) DIP MONROE	- BLACK
M15.R	15”(380MM) DIP MONROE	- RED
M15.1	15”(380MM) DIP MONROE	-STEP 1 MAINTENANCE
M15.2	15”(380MM) DIP MONROE	-STEP 2 MAINTENANCE
M15.3	15”(380MM) DIP MONROE	-STEP 3 MAINTENANCE
M15.4	15”(380MM) DIP MONROE	-STEP LUX MARBLE MAINTENANCE
M16.B	16”(406MM) DIP MONROE	- BLACK
M16.R	16”(406MM) DIP MONROE	- RED
M16.1	16”(406MM) DIP MONROE	-STEP 1 MAINTENANCE
M16.2	16”(406MM) DIP MONROE	-STEP 2 MAINTENANCE
M16.3	16"(406MM) DIP MONROE	-STEP 3 MAINTENANCE
M16.4	16"(406MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE

P.N.	DESCRIPTION	DIP
M17.B	17"(430MM) DIP MONROE	- BLACK
M17.R	17"(430MM) DIP MONROE	- RED
M17.1	17"(430MM) DIP MONROE	-STEP 1 MAINTENANCE
M17.2	17"(430MM) DIP MONROE	-STEP 2 MAINTENANCE
M17.3	17"(430MM) DIP MONROE	-STEP 3 MAINTENANCE
M17.4	17"(430MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE
M18.B	18"(455MM) DIP MONROE	- BLACK
M18.R	18"(455MM) DIP MONROE	- RED
M18.1	18"(455MM) DIP MONROE	-STEP 1 MAINTENANCE
M18.2	18"(455MM) DIP MONROE	-STEP 2 MAINTENANCE
M18.3	18"(455MM) DIP MONROE	-STEP 3 MAINTENANCE
M18.4	18"(455MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE
M19.B	19"(480MM) DIP MONROE	- BLACK
M19.R	19"(480MM) DIP MONROE	- RED
M19.1	19"(480MM) DIP MONROE	-STEP 1 MAINTENANCE
M19.2	19"(480MM) DIP MONROE	-STEP 2 MAINTENANCE
M19.3	19"(480MM) DIP MONROE	-STEP 3 MAINTENANCE
M20.4	20"(510MM) DIP MONROE	-STEP 4 MARBLE MAINTENANCE

P.N.	DESCRIPTION	DIP
M20.B	20"(510MM) DIP MONROE	- BLACK
M20.R	20"(510MM) DIP MONROE	- RED
M20.1	20"(510MM) DIP MONROE	-STEP 1 MAINTENANCE
M20.2	20"(510MM) DIP MONROE	-STEP 2 MAINTENANCE
M20.3	20"(510MM) DIP MONROE	-STEP 3 MAINTENANCE
M21.B	21"(535MM) DIP MONROE	- BLACK
M21.R	21"(535MM) DIP MONROE	- RED
M21.1	21"(535MM) DIP MONROE	-STEP 1 MAINTENANCE
M21.2	21"(535MM) DIP MONROE	-STEP 2 MAINTENANCE
M21.3	21"(535MM) DIP MONROE	-STEP 3 MAINTENANCE
M24.B	24"(610MM) DIP MONROE	- BLACK
M24.R	24"(610MM) DIP MONROE	- RED
M24.1	24"(610MM) DIP MONROE	-STEP 1 MAINTENANCE
M24.2	24"(610MM) DIP MONROE	-STEP 2 MAINTENANCE
M24.3	24"(610MM) DIP MONROE	-STEP 3 MAINTENANCE
M27.B	27"(685MM) DIP MONROE	- BLACK
M27.R	27"(685MM) DIP MONROE	- RED
M27.1	27"(685MM) DIP MONROE	-STEP 1 MAINTENANCE
M27.2	27"(685MM) DIP MONROE	-STEP 2 MAINTENANCE
M27.3	27"(685MM) DIP MONROE	-STEP 3 MAINTENANCE

DIAMOND TOOL SUPPLY INC

We recommended the following steps from the ***Flexible Dot Rubber Pad Diamond System (DRP-DS)*** *to use for light polish and maintenance on damaged floors:*

- Semi-metal 200 grit
- Resin 400 grit
- Resin 800 grit

Follow with Step 1, 2 and 3

P.N.	DESCRIPTION DRP-DS
ET05"0030H	5" ET - GRIT 30 SEMI-METAL
ET05"0050H	5" ET - GRIT 50 SEMI-METAL
ET05"0100H	5" ET - GRIT 100 SEMI-METAL
ET05"0200H	5" ET - GRIT 200 SEMI-METAL
ET05"0400H	5" ET - GRIT 400 SEMI-METAL
ET05"0400	5" ET - GRIT 400
ET05"0800	5" ET - GRIT 800
ET05"1800	5" ET - GRIT 1800
ET05"3000	5" ET - GRIT 3000
ET07"0030H	7" ET - GRIT 30 SEMI-METAL
ET07"0050H	7" ET - GRIT 50 SEMI-METAL
ET07"0100H	7" ET - GRIT 100 SEMI-METAL
ET07"0200H	7" ET - GRIT 200 SEMI-METAL
ET07"0400	7" ET - GRIT 400
ET07"0400H	7" ET - GRIT 400 SEMI-METAL
ET07"0800	7" ET - GRIT 800
ET07"1800	7" ET - GRIT 1800
ET07"3000	7" ET - GRIT 3000
ET07-RIGID	PLATE 7" RIGID PLATE
ET07-FOAM	PLATE 7" FOAM PLATE

P.N.	DESCRIPTION DRP-DS
ET08"0030H	8" ET - GRIT 30 SEMI-METAL
ET08"0050H	8" ET - GRIT 50 SEMI-METAL
ET08"0100H	8" ET - GRIT 100 SEMI-METAL
ET08"0200H	8" ET - GRIT 200 SEMI-METAL
ET08"0400	8" ET - GRIT 400
ET08"0800	8" ET - GRIT 800
ET08"1800	8" ET - GRIT 1800
ET08"3000	8" ET - GRIT 3000
ET08-RIGID	PLATE 8" RIGID PLATE
ET08-FOAM	PLATE 8" FOAM PLATE
ET09"0030H	9" ET - GRIT 30 SEMI-METAL
ET09"0050H	9" ET - GRIT 50 SEMI-METAL
ET09"0100H	9" ET - GRIT 100 SEMI-METAL
ET09"0200H	9" ET - GRIT 200 SEMI-METAL
ET09"0400H	9" ET - GRIT 400 SEMI-METAL
ET09"0400	9" ET - GRIT 400
ET09"0800	9" ET - GRIT 800
ET09"1800	9" ET - GRIT 1800
ET09"3000	9" ET - GRIT 3000
ET09-RIGID	PLATE 9" RIGID PLATE
ET09-FOAM	PLATE 9" FOAM PLATE

P.N.	DESCRIPTION DRP-DS
ET10"0030H	10" ET - GRIT 30 SEMI-METAL
ET10"0050H	10" ET - GRIT 50 SEMI-METAL
ET10"0100H	10" ET - GRIT 100 SEMI-METAL
ET10"0200H	10" ET - GRIT 200 SEMI-METAL
ET10"0400H	10" ET - GRIT 400 SEMI-METAL
ET10"0400	10" ET - GRIT 400
ET10"0800	10" ET - GRIT 800
ET10"1800	10" ET - GRIT 1800
ET10"3000	10" ET - GRIT 3000
ET10-FOAM	PLATE 10" FOAM ADAPTER
ET10-RIGID	PLATE 10" RIGID PLATE
ET12"0030H	12" ET - GRIT 30 SEMI-METAL
ET12"0050H	12" ET - GRIT 50 SEMI-METAL
ET12"0100H	12" ET - GRIT 100 SEMI-METAL
ET12"0200H	12" ET - GRIT 200 SEMI-METAL
ET12"04000H	12" ET - GRIT 400 SEMI-METAL
ET12"0400	12" ET - GRIT 400
ET12"0800	12" ET - GRIT 800
ET12"1800	12" ET - GRIT 1800
ET12"3000	12" ET - GRIT 3000
ET12-FOAM	PLATE 12" FOAM ADAPTER
ET12-RIGID	PLATE 12" RIGID PLATE
ET13"0030H	13" ET - GRIT 30 SEMI-METAL
ET13"0050H	13" ET - GRIT 50 SEMI-METAL
ET13"0100H	13" ET - GRIT 100 SEMI-METAL
ET13"0200H	13" ET - GRIT 200 SEMI-METAL
ET13"0400H	13" ET - GRIT 400 SEMI-METAL
ET13"0400	13" ET - GRIT 400
ET13"0800	13" ET - GRIT 800
ET13"1800	13" ET - GRIT 1800
ET13"3000	13" ET - GRIT 3000
ET13-FOAM	PLATE 13" FOAM ADAPTER
ET13-RIGID	PLATE 13" RIGID PLATE
ET14"0030H	14" ET - GRIT 30 SEMI-METAL
ET14"0050H	14" ET - GRIT 50 SEMI-METAL
ET14"0100H	14" ET - GRIT 100 SEMI-METAL
ET14"0200H	14" ET - GRIT 200 SEMI-METAL
ET14"0400H	14" ET - GRIT 400 SEMI-METAL
ET14"0400	14" ET - GRIT 400
ET14"0800	14" ET - GRIT 800
ET14"1800	14" ET - GRIT 1800
ET14"3000	14" ET - GRIT 3000
ET14-RIGID	PLATE 14" RIGID PLATE
ET14-FOAM	PLATE 14" FOAM PLATE
ET15"0030H	15" ET - GRIT 30H
ET15"0050H	15" ET - GRIT 50H
ET15"0100H	15" ET - GRIT 100H
ET15"0200H	15" ET - GRIT 200H
ET15"0400H	15" ET - GRIT 400H
ET15"0400	15" ET - GRIT 400
ET15"0800	15" ET - GRIT 800
ET15"1800	15" ET - GRIT 1800
ET15"3000	15" ET - GRIT 3000
ET15-FOAM	PLATE 15″ FOAM ADAPTER
ET15-RIGID	PLATE 15" RIGID PLATE

P.N.	DESCRIPTION DRP-DS
ET16"0030H	16" ET - GRIT 30H
ET16"0050H	16" ET - GRIT 50H
ET16"0100H	16" ET - GRIT 100H
ET16"0200H	16" ET - GRIT 200H
ET16"0400H	16" ET - GRIT 400H
ET16"0400	16" ET - GRIT 400
ET16"0800	16" ET - GRIT 800
ET16"1800	16" ET - GRIT 1800
ET16"3000	16" ET - GRIT 3000
ET16-RIGID	PLATE 16" RIGID PLATE
ET16-FOAM	PLATE 16" FOAM PLATE
ET17"0030H	17" ET - GRIT 30H
ET17"0050H	17" ET - GRIT 50H
ET17"0100H	17" ET - GRIT 100H
ET17"0200H	17" ET - GRIT 200H
ET17"0400H	17" ET - GRIT 400H
ET17"0400	17" ET - GRIT 400
ET17"0800	17" ET - GRIT 800
ET17"1800	17" ET - GRIT 1800
ET17"3500	17" ET - GRIT 3000
ET17"-C1	17" VORTEX DOTS COPPER - C1
ET17"-C2	17" VORTEX DOTS COPPER - C2
ET17"-C3	17" VORTEX DOTS COPPER - C3
ET17"-C4	17" VORTEX DOTS COPPER - C4
ET17-FOAM	PLATE 17" FOAM ADAPTER
ET17-RIGID	PLATE 17" RIGID PLATE
ET18"0030H	18" ET - GRIT 30H
ET18"0050H	18" ET - GRIT 50H
ET18"0100H	18" ET - GRIT 100H
ET18"0200H	18" ET - GRIT 200H
ET18"0400H	18" ET - GRIT 400H
ET18"0400	18" ET - GRIT 400
ET18"0800	18" ET - GRIT 800
ET18"1800	18" ET - GRIT 1800
ET18"3000	18" ET - GRIT 3000
ET18-FOAM	PLATE 18" FOAM ADAPTER
ET18-RIGID	PLATE 18" RIGID PLATE
ET20"0030H	20" ET - GRIT 30 SEMI-METAL
ET20"0050H	20" ET - GRIT 50 SEMI-METAL
ET20"0100H	20" ET - GRIT 100 SEMI-METAL
ET20"0200H	20" ET - GRIT 200 SEMI-METAL
ET20"0400H	20" ET - GRIT 400 SEMI-METAL
ET20"0400	20" ET - GRIT 400
ET20"0800	20" ET - GRIT 800
ET20"1800	20" ET - GRIT 1800
ET20"3500	20" ET - GRIT 3000
ET20-FOAM	PLATE 20" FOAM ADAPTER
ET20-RIGID	PLATE 20" RIGID PLATE

DIAMOND SUPPLY INC.

FLEXIBLE DIAMOND SYSTEM FOR POLISHING (RESTORATION) OF TERRAZZO (EPOXY AND CEMENT), CONCRETE AND MARBLE FLOORS

PREVIOUSLY KNOWN AS VORTEX

This system can be used with conventional cleaning/maintenance equipment such as auto scrubbers, electrical or propane burnisher, swing machine, buffer, etc. for restoration – grinding and polishing of natural stone, terrazzo, and concrete floors

- Easy and friendly to use
- Flexible – follow the floor

The available steps to use:

- *Monroe Flexible Dot Rubber Pad Diamond System* ***(DRP-DS)- use with soft white pad*** *Available in* ***4"(100 mm) to 21"(535mm)***

  - Semi-metal 30 grit
  - Semi-metal 50 grit
  - Semi-metal 100 grit
  - Semi-metal 200 grit
  - Semi-metal 400 grit
  - Resin 400 grit
  - Resin 800 grit
  - Resin 1800 grit
  - Resin 3000 grit

- *Recommended Diamond Impregnated Pads* ***(DIP)*** *Steps Available in* ***4"(100 mm) to 27"(686mm)***

  - Step 1 – wet
  - Step 2 – wet
  - Step 3 – dry or wet

Using a combination of DRP-DS and DIP equal or better than factory finish can be achieved with conventional low cost cleaning/maintenance equipment

DRY Monroe Pad ***by VorteX***

Grinding, polishing and maintenance of **self leveling compounds**, concrete, terrazzo and natural stone.

Ideal for Dry polishing of:



- Self leveling compounds
- Concrete
- Terrazzo



Monroe Pad is the new flexible system for grinding, polishing and maintenance of floors. As the rest of our systems it easily mounts under your existing cleaning/polishing equipment; no new investments necessary. It does not leave resin swirls on the floor. For best result make a combination system with other products from the systems

WET Monroe Pad ***by VorteX***

Ideal for Wet Polishing of:

- Natural Stone
- Concrete
- Terrazzo

SUPPLY INC.

WET MONROE PAD

Item	Description
05M9"0400	9" - WET GRIT 400
05M9"0800	9" - WET GRIT 800
05M9"1800	9" - WET GRIT 1800
05M9"3000	9" - WET GRIT 3000
05M9"8500	9" - WET GRIT 8500
06M100400	10" - WET GRIT 400
06M100800	10" - WET GRIT 800
06M101800	10" - WET GRIT 1800
06M103000	10" - WET GRIT 3000
06M108500	10" - WET GRIT 8500
06M120400	12" - WET GRIT 400
06M120800	12" - WET GRIT 800
06M121800	12" - WET GRIT 1800
06M123000	12" - WET GRIT 3000
06M1286500	12" - WET GRIT 8500
06M130400	13" - WET GRIT 400
06M130800	13" - WET GRIT 800
06M131800	13" - WET GRIT 1800
06M133000	13" - WET GRIT 3000
06M138500	13" - WET GRIT 8500
08M15"0400	15" - WET GRIT 400
08M15"0800	15" - WET GRIT 800
08M15"1800	15" - WET GRIT 1800
08M15"3000	15" - WET GRIT 3000
08M15"8500	15" - WET GRIT 8500
08M16"0400	16" - WET GRIT 400
08M16"0800	16" - WET GRIT 800
08M16"1800	16" - WET GRIT1800
08M16"3000	16" - WET GRIT3000
08M16"8500	16" - WET GRIT 8500
08M17"0400	17" - WET GRIT 400
08M17"0800	17" - WET GRIT 800
08M17"1800	17" - WET GRIT1800
08M17"3000	17" - WET GRIT3000
08M17"8500	17" - WET GRIT 8500
12M20"0400	20" - WET GRIT 400
12M20"0800	20" - WET GRIT 800
12M20"1800	20" - WET GRIT1800
12M20"3000	20" - WET GRIT 3000
12M20"8500	20" - WET GRIT 8500

DRY MONROE PAD

Item	Description
05V9"0400	9" - DRY GRIT 400
05V9"0800	9" - DRY GRIT 800
05V9"1800	9" - DRY GRIT 1800
05V9"3000	9" - DRY GRIT 3000
05V9"8500	9" - DRY GRIT 8500
06V100400	10" - DRY GRIT 400
06V100800	10" - DRY GRIT 800
06V101800	10" - DRY GRIT 1800
06V103000	10" - DRY GRIT 3000
06V108500	10" - DRY GRIT 8500
06V120400	12" - DRY GRIT 400
06V120800	12" - DRY GRIT 800
06V121800	12" - DRY GRIT 1800
06V123000	12" - DRY GRIT 3000
06V1286500	12" - DRY GRIT 8500
06V130400	13" - DRY GRIT 400
06V130800	13" - DRY GRIT 800
06V131800	13" - DRY GRIT 1800
06V133000	13" - DRY GRIT 3000
06V138500	13" - DRY GRIT 8500
08V15"0400	15" - DRY GRIT 400
08V15"0800	15" - DRY GRIT 800
08V15"1800	15" - DRY GRIT 1800
08V15"3000	15" - DRY GRIT 3000
08V15"8500	15" - DRY GRIT 8500
08V16"0400	16" - DRY GRIT 400
08V16"0800	16" - DRY GRIT 800
08V16"1800	16" - DRY GRIT1800
08V16"3000	16" - DRY GRIT3000
08V16"8500	16" - DRY GRIT 8500
08V17"0400	17" - DRY GRIT 400
08V17"0800	17" - DRY GRIT 800
08V17"1800	17" - DRY GRIT1800
08V17"3000	17" - DRY GRIT3000
08V17"8500	17" - DRY GRIT 8500
12V20"0400	20" - DRY GRIT 400
12V20"0800	20" - DRY GRIT 800
12V20"1800	20" - DRY GRIT1800
12V20"3000	20" - DRY GRIT 3000
12V20"8500	20" - DRY GRIT 8500

DIAMOND TOOL SUPPLY

FLEXIBLE HIGH SPEED PROPANE BURNISHER CONCRETE SYSTEM

PREVIOUSLY KNOWN AS VORTEX

This is the **o**nly Diamond Impregnated Pad System in the market which can be used to *grind*, *pre-polish* and *polish* concrete *floors using High Speed Burnisher*

The system consists of:

Flexible Heavy Duty Diamond Impregnated Pads (HD-DIP)

Available steps

- **Orange • – aggressive**
- **Silver • – medium**
- **Blue • – FINE**
- **Red • – fine**
- **Black • - BuffX**

With *Flexible HD-DIP pad you* can start from heavy grinding to final polish of concrete using High Speed Burnisher and Mist of water only.

Available sizes and Part Number

PN	DESCRIPTION
V05.0-400	5" HD-DIP ORANGE - COARSE
V05.1-800	5" HD-DIP GRAY - MEDIUM
V05.2-1500	5" HD-DIP BLUE - FINE
V05.3-3000	5" HD-DIP RED - FINE
V05.B-BUFF	5" HD-DIP BLACK - BUFF
V07.0-400	7" HD-DIP ORANGE - COARSE
V07.1-800	7" HD-DIP GRAY - MEDIUM
V07.2-1500	7" HD-DIP BLUE - FINE
V07.3-3000	7" HD-DIP RED - FINE
V07.B-BUFF	7" HD-DIP BLACK - BUFF
V08.0-400	8" HD-DIP ORANGE - COARSE
V08.1-800	8" HD-DIP GRAY - MEDIUM
V08.2-1500	8" HD-DIP BLUE - FINE
V08.3-3000	8" HD-DIP RED - FINE
V08.B-BUFF	8" HD-DIP BLACK - BUFF
V09.0-400	9" HD-DIP ORANGE – COARSE
V09.1-800	9" HD-DIP GRAY – MEDIUM
V09.2-1500	9” HD-DIP BLUE - FINE
V09.3-3000	9” HD-DIP RED – FINE
V09.B-BUFF	9” HD-DIP BLACK – BUFF
V10.0-400	10" HD-DIP ORANGE -COARSE
V10.1-800	10" HD-DIP GRAY - MEDIUM
V10.2-1500	10" HD-DIP BLUE - FINE
V10.3-3000	10" HD-DIP RED - FINE
V10.B-BUFF	10" HD-DIP BLACK - BUFF
V11.0-400	11" HD-DIP ORANGE -COARSE
V11.1-800	11" HD-DIP GRAY - MEDIUM
V11.2-1500	11" HD-DIP BLUE - FINE
V11.3-3000	11" HD-DIP RED - FINE
V11.B-BUFF	11" HD-DIP BLACK - BUFF

PN	DESCRIPTION
V13.0-400	13" HD-DIP ORANGE -COARSE
V13.1-800	13" HD-DIP GRAY - MEDIUM
V13.2-1500	13" HD-DIP BLUE – FINE
V13.3-3000	13" HD-DIP RED - FINE
V13.B-BUFF	13" HD-DIP BLACK - BUFF
V14.0-400	14" HD-DIP ORANGE -COARSE
V14.1-800	14" HD-DIP GRAY - MEDIUM
V14.2-1500	14" HD-DIP BLUE - FINE
V14.3-3000	14" HD-DIP RED - FINE
V14.B-BUFF	14" HD-DIP BLACK - BUFF
V15.0-400	15" HD-DIP ORANGE - COARSE
V15.1-800	15" HD-DIP GRAY - MEDIUM
V15.2-1500	15" HD-DIP BLUE - FINE
V15.3-3000	15" HD-DIP RED - FINE
V15.B-BUFF	15" HD-DIP BLACK - BUFF
V16.0-400	16" HD-DIP ORANGE - COARSE
V16.1-800	16" HD-DIP GRAY - MEDIUM
V16.2-1500	16" HD-DIP BLUE - FINE
V16.3-3000	16" HD-DIP RED - FINE
V16.B-BUFF	16" HD-DIP BLACK - BUFF
V17.0-400	17" HD-DIP ORANGE - COARSE
V17.1-800	17" HD-DIP GRAY - MEDIUM
V17.2-1500	17" HD-DIP BLUE - FINE
V17.3-3000	17" HD-DIP RED - FINE
V17.B-BUFF	17" HD-DIP BLACK - BUFF
V18.0-400	18" HD-DIP ORANGE - COARSE
V18.1-800	18" HD-DIP GRAY - MEDIUM
V18.2-1500	18" HD-DIP BLUE - FINE
V18.3-3000	18" HD-DIP RED - FINE
V18.B-BUFF	18" HD-DIP BLACK - BUFF

DIAMOND TOOL SUPPLY INC.

PN	DESCRIPTION
V20.0-400	20" HD-DIP ORANGE - COARSE
V20.1-800	20" HD-DIP GRAY - MEDIUM
V20.2-1500	20" HD-DIP BLUE - FINE
V20.3-3000	20" HD-DIP RED - FINE
V20.B-BUFF	20" HD-DIP BLACK - BUFF
V21.0-400	21" HD-DIP ORANGE - COARSE
V21.1-800	21" HD-DIP GRAY - MEDIUM
V21.2-1500	21" HD-DIP BLUE - FINE
V21.3-3000	21" HD-DIP RED - FINE
V21.B-BUFF	21" HD-DIP BLACK - BUFF

PN	DESCRIPTION
V24.0-400	24" HD-DIP ORANGE - COARSE
V24.1-800	24" HD-DIP GRAY - MEDIUM
V24.2-1500	24" HD-DIP BLUE - FINE
V24.3-3000	24" HD-DIP RED - FINE
V24.B-BUFF	24" HD-DIP BLACK - BUFF
V27.0-400	27" HD-DIP ORANGE - COARSE
V27.1-800	27" HD-DIP GRAY - MEDIUM
V27.2-1500	27" HD-DIP BLUE - FINE
V27.3-3000	27" HD-DIP RED - FINE
V27.B-BUFF	27" HD-DIP BLACK - BUFF

DIAMOND TOOL SUPPLY

- ***Flexible Rubber Dot System for High Speed Burnisher***

Part Numbers for High speed rubber dot system AVAILABLE IN 21”
(Other sizes available up on request)

PN	DESCRIPTION
CT21-FOAM PLATE	21" FOAM ADAPTER
VT21"0030BR	21" RUBBER DOTS BRAZED - GRIT 30
VT21"0050BR	21" RUBBER DOTS BRAZED - GRIT 50
VT21"0100BR	21" RUBBER DOTS BRAZED - GRIT 100
VT21"0200BR	21" RUBBER DOTS BRAZED - GRIT 200
CT21"-C1	21" RUBBER DOTS - C1 - COARSE
CT21"-C2	21" RUBBER DOTS - C2 - COARSE
CT21"-C3	21" RUBBER DOTS - C3 - COARSE
CT21"-C4	21" RUBBER DOTS - C4 - COARSE
CT21"0030C	21" RUBBER DOTS SEMI-METAL - GRIT 30
CT21"0050C	21" RUBBER DOTS SEMI-METAL - GRIT 50
CT21"0100C	21" RUBBER DOTS SEMI-METAL - GRIT 100
CT21"0200C	21" RUBBER DOTS SEMI-METAL - GRIT 200
CT21"0400C	21" RUBBER DOTS SEMI-METAL - GRIT 400
CT21"0400D	21" RUBBER DOTS WET - GRIT 400 FOR HIGH SPEED
CT21"LUX1	21" RUBBER DOTS WET - 800L FOR HIGH SPEED
CT21"1800W	21" RUBBER DOTS WET - 1800W FOR HIGH SPEED
CT21"3000W	21" RUBBER DOTS WET - 3000W FOR HIGH SPEED

HIGH SPEED FLOOR POLISHING

PREVIOUSLY KNOWN AS VORTEX

Recommended sequence using HI SPEED Dots Rubber Pads (DRP) and HD-DIP PADS

	RECOMMENDED RPM	USE WATER	ADAPTER FOAM	DENSIFIER
Semi-metal 30 DRP	**1000-1500**	■	■	
Semi-metal 50 DRP	**1000-1500**	■	■	
Semi-metal 100 DRP	**1000-1500**	■	■	
				APPLY
Semi-metal 200 DRP	**1000-1500**	■	■	
Resin 400L DRP	**1000-1500**	■	■	
Resin 800L DRP	**1000-1500**	■	■	
Resin 1800W DRP	**1000-1500**	■	■	
RED HD-DIP	**MAX 1800-2000**	**MIST**		
				OPTIONAL TOP COAT GUARD MATERIAL
BLACK HD-DIP	**MAX 1800-2000**	**DRY**		

Black HD-DIP (BuffX) is the best pad for topical coats which require burnishing. The above is the fastest and most economical system for concrete grinding and polishing.

Using the flexible diamond from the grinding stages to the final polish gives the floor very uniform look and evenly exposed aggregate throughout. The machine will follow the contours of the surface polishing lows and highs with the same end result.

5 EXTRA POWDER FOR MARBLE, LIMESTONE & TERRAZZO FINAL POLISHING

Part Number	Description
5XTRA	5 Extra Polishing Compound

GRANITA POWDER FOR GRANITE POLISHING

Part Number	Description
GRANITA	Granita Polishing Compound

TIN OXIDE FOR GRANITE POLISHING

Part Number	Description
TINOXIDE	Tin Oxide

BLACK OXIDE FOR DARK GRANITE FINAL POLISH

Part Number	Description
BLACKOXIDE	Black Oxide

DIAMOND TOOL SUPPLY